

INDEX

Allis Chalmers - Mufflers	13-7 to 13-8	Light	
Bluebright - Lamps	13-3	Flashing	13-4
British Leyland - Mufflers	13-9	LED	13-4 to 13-5
Case - Mufflers.....	13-9 to 13-11	Porch Utility.....	13-6
Chevrolet - Mufflers.....	13-32	Warning.....	13-4
Clamp Display.....	13-6	Marker - Clearance	13-6
Clamp - Kit.....	13-34, 13-36	Massey - Mufflers	13-24 to 13-28
Clearance - Marker	13-6	Meters	
Cockshutt - Mufflers	13-11	Diocron.....	13-3
David Brown - Mufflers.....	13-11	Hobbs	13-3
Diocron - Meters	13-3	Hour	13-3
Displays		Minneapolis Moline - Mufflers	13-28
Muffler Clamps	13-6	Muffler	
Rain Caps	13-6	Allis Chalmers.....	13-7 to 13-8
Easy Seal Exhaust Connection	13-36	British Leyland.....	13-9
Exhaust Extenders - Mufflers	13-35	Case	13-9 to 13-11
Flashing - Light.....	13-4 to 13-5	Chevrolet.....	13-32
Ford - Mufflers.....	13-16 to 13-21, 13-32	Clamps	13-34
GMC - Mufflers	13-33	Clamps - Displays	13-6
Halogen - Lamps.....	13-1 to 13-4	Cockshutt.....	13-11
HID - Light.....	13-5	David Brown	13-11
Hobbs		Exhaust Extenders	13-35
Lamps.....	13-1 to 13-3	Ford	13-16 to 13-20, 13-32
Meters	13-3	GMC	13-33
Hour - Meters.....	13-3	International	13-21 to 13-24, 13-33
International - Mufflers.....	13-21 to 13-24, 13-33	John Deere	13-12 to 13-16
John Deere - Mufflers.....	13-12 to 13-16	Kubota	13-24
Kit - Clamp	13-34	Massey	13-24 to 13-28
Kubota - Mufflers.....	13-24	Minneapolis Moline	13-28
Lamps		New Holland	13-16 to 13-21
3 x 5 Rectangular.....	13-2, 13-4	Oliver	13-29
4 x 6 Rectangular.....	13-2 to 13-4	Rain Caps	13-35
5" Round	13-4	Steiger	13-30
5" x 7" Rectangular.....	13-4	Truck	13-32 to 13-34
Bluebright	13-3	Versatile	13-30
Halogen.....	13-1 to 13-4	White	13-30 to 13-31
Hobbs	13-1 to 13-3	Wisconsin	13-31
Tractor	13-1 to 13-5	Yanmar	13-31
Utility	13-5	New Holland - Mufflers	13-16 to 13-21
LED - Light.....	13-4 to 13-5	Oliver - Mufflers	13-29


INDEX

Pipes - Straight	13-35
Porch Utility - Light	13-6
Rain Caps	
Displays	13-6
Mufflers.....	13-35
Replacement - Seal Beam.....	13-2, 13-5
RV Exterior Light	13-6
Seal Beam - Replacement.....	13-2, 13-5
Steiger - Mufflers	13-30
Straight - Pipes	13-35
Trailer Clearance Lamp	13-6
Truck - Mufflers.....	13-32 to 13-34
Versatile - Mufflers.....	13-30
Warning - Light.....	13-4
White - Mufflers.....	13-30 to 13-31
Wisconsin - Mufflers	13-31
Yanmar - Mufflers.....	13-31

HOBBS HALOGEN LAMPS


Round Halogen Lamp

Borosilicate glass lens resists cracking and warpage, and prevents distortion and lens coloration.



Rectangular Halogen Lamp


Borosilicate glass lens resists cracking and warpage, and prevents distortion and lens discoloration.



Combine Application



Backhoe Application




OUT PERFORMS THE COMPETITION IN EIGHT STANDARD TESTS!

TEST	TYPICAL IMPORTED WILL FIT COMPETITOR	HOBBS (MADE IN USA)
• 96 hour salt spray per astm b117-73	• Bracket and bolt rusted. Inside of lamp fogged.	UNAFFECTED!
• Water immersion (soak 5 minutes in each of two axis)	• Filled with water within 1 minute, rusted and corroded.	UNAFFECTED!
• High pressure spray (1200 psi for 1 minute, 45° above and below horizontal axis)	• Inside of lamp filled with cleaner.	UNAFFECTED!
• Dust chamber (24 hours Arizona coarse dust)	• Dust inside of lamp.	UNAFFECTED!
• 450 hour vibration (5 g's peak)	• Bracket replaced twice due to breakage. • Failures also include burnout ≤300 hours	UNAFFECTED!
• 14 volt dc steady burn, average life of 6 test samples	• 360 average hours	940 average hours
• B50 Life*	• 250 hours	950 hours
• B10 Life*	• 93 hours	730 hours

*B10 Life and B50 Life are reliability statements which are used to predict failures. Simply put, a number of samples of a particular product are tested, and the hours of failure recorded and plotted on a chart (Weibull Curve). B10 Life means that 10% of the samples failed at the hours indicated. Similarly, B50 Life means that 50% of the samples failed within the hours indicated. The assumption is made that these percentages/hours directly relate to all the units operating in the field. Example: B10 Life of a particular model of competitor's lamp is 93 hours. It is assumed that 10% of all the same model of lamp working in the field will fail at or before 93 hours.

Hobbs


Tractor Application



HOBBS HALOGEN LAMPS


24 Volt RowBrite Rectangular 4 x 6 Lamp Unit

PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 72540-50	Wide Flood	24V 60W	2.5 Amp
LIG 72542-50	Trapezoid	24V 60W	2.5 Amp
LIG 72544-50	Spot	24V 60W	2.5 Amp



Replacement Sealed Beams

PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 72541-50	Wide Flood	24V 60W	2.5 Amp
LIG 72543-50	Trapezoid	24V 60W	2.5 Amp
LIG 72545-50	Spot	24V 60W	2.5 Amp



12 Volt RowBrite Rectangular 4 x 6 Lamp Unit

PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 71898-50	Wide Flood	12V 50W	2.5 Amp
LIG 71915-50	Trapezoid	12V 50W	2.5 Amp
LIG 71902-50	Spot	12V 50W	2.5 Amp


Replacement Sealed Beams

PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 71017-50	Wide Flood	12V 50W	4 Amp
LIG 71792-50	Trapezoid	12V 50W	4 Amp
LIG 71794-50	Spot	12V 50W	4 Amp

12 Volt RowBrite Rectangular 3 x 5 Lamp Unit



PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 73761-50	Wide Flood	12V 50W	4 Amp
LIG 73763-50	Trapezoid	12V 50W	4 Amp
LIG 73764-50	Spot	12V 50W	4 Amp
LIG 77861-49	Flood (with built in toggle switch)	12V 50W	4 Amp



Replacement Sealed Beams


PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 72408-50	Wide Flood	12V 50W	4 Amp
LIG 72801-50	Trapezoid	12V 50W	4 Amp
LIG 73804-50	Spot	12V 50W	4 Amp

12 Volt RowBrite Round Shell Lamp Unit

PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 73468-50	Wide Flood	12V 50W	4 Amp
LIG 73469-50	Trapezoid	12V 50W	4 Amp

Replacement Sealed Beams

PART NO.	BEAM PATTERN	VOLTAGE	CURRENT
LIG 70510-50	Wide Flood	12V 50W	4 Amp
LIG 70729-50	Trapezoid	12V 50W	4 Amp



Replacement Sealed Beam

HOBBS HALOGEN LAMPS


New from **Honeywell**
Hobbs

**BlueBright
Halogens**



• High Performance 4x6 Halogen Work Lamp

Chromaticity Values:	
Incandescent	2500° K
Halogen	3200° K
BlueBright	3600° K



- High Performance 4 x 6 Halogen Work Lamp.
- Higher Lumen output than conventional Halogen Lamps.
- 12 Volt, 65 Watt, 5.4 Amps.
- Operates Nearer to the "Blue" side of the light spectrum.
- Improves peripheral visibility in low ambient light conditions.

LAMP PART NO.	BEAM PATTERN	REPLACEMENT SEALED BEAM
LIG 87022-22	Flood	LIG 87029-52
LIG 87023-22	Spot	LIG 87031-52
LIG 87024-22	Trapezoid	LIG 87030-52

HOBBS DIOCHRON HOUR METERS

- Quartz accuracy: $\pm 0.02\%$ (± 200 ppm).
- Sealed, shock-resistant case.
- Run indicator.
- Voltage range: 10 to 80 Vdc.
- Temperature range: -40°F to 185°F.
- Numeral size: 0.12"
- UL recognized.
- CSA certified.
- Polycarbonate case and lens.
- $\frac{1}{4}$ " blade terminals.



LAMP PART NO.	DESCRIPTION
LIG 82041-7	Retainer Mount 10-80
LIG 82014-77	2 Screw Rectangular Mount 10-80 Vdc
LIG 82051-75	2 Screw Round Mount 10-80 Vdc

HALOGEN LIGHTS

Halogen Flood Pattern Lamp



PART NO.	DESCRIPTION
LIG 30305	12V 55W Uses replaceable H3 bulbs 3" x 5"

Halogen Trapezoidal Pattern Lamp



PART NO.	DESCRIPTION
LIG 30306	12V 55W Uses replaceable H3 bulbs 3" x 5"

Halogen Flood Pattern Lamp



PART NO.	DESCRIPTION
LIG 307001	12V 55W Uses replaceable H3 bulbs 5" x 7"

Halogen Flood Pattern Lamp



PART NO.	DESCRIPTION
LIG 63511	12V 55W Uses replaceable H3 Halogen bulbs Rubber plug on back of lamp makes changing bulbs very easy. 5" x 5"

Replacement Bulb



PART NO.	DESCRIPTION
LIG H3	GE Make

Halogen Flood and Spot Light



PART NO.	DESCRIPTION
LIG E4620	4" x 6" dual H3, 12V, Halogen flood and spot light. High impact ABS housing c/w mounting bracket. Uses H3, 55W bulbs.

LED LIGHTS



PART NO.	DESCRIPTION
LIG E420AM	Battery operated LED warning light, amber. 4" high x 4 3/4" base. On/off switch and magnetic base. Single flash and 4 diodes. Uses 2 AA batteries (not included.)



PART NO.	DESCRIPTION
LIG E480AM	Battery operated LED rotating light, amber. 5" high x 4 3/4" base. On/off switch and magnetic base. Quad flash and 20 diodes. Uses 4 AA batteries (not included.)

RUBBER TRACTOR & UTILITY LAMP

Shock-absorbing weatherproof body can't rust, corrode, dent, or scratch. Exhuastively salt-spray tested, vibration-tested at 2 G's - 15 G's. Cushions sealed beam from shock vibration. Fully adjustable bracket mounts easily and firmly on virtually any contour. Designed for versatile applications such as utility, fifth wheel back-up, tractor, or off-road vehicle lamp.

PART NO.	DESCRIPTION
LIG 64931	12V Lamp with 4411 sealed beam
LIG H64931	12V Lamp with H7606 sealed beam, xtra white
LIG 4411	Replacement sealed beam (for LIG 64931)
LIG H7606	Replacement Halogen sealed beam (for LIG H64931)



HALOGEN REPLACEMENT SEAL BEAMS

Halogen Flood Pattern

PART NO.	DESCRIPTION
LIG H7606	12V 55W - HALOGEN Dual Terminal - screw or slip-on. Fits any standard 5" Par 36 housing. Provides Xtra white and brighter light. Use on LIG H64931



LED LOAD LIGHT - BATTERY OPERATED

- Designed for heavy duty usage. Fitted into heavy duty rubber housing for maximum protection from the elements and comes complete with longer bracket and strong magnetic mounting.
- Specially designed heavy duty housing.
- LED 12-diode design provides much longer battery life.
- Heavy duty switch on front of lens provides convenient use.
- Uses four AA batteries for "Cableless" operation.
- Our tests indicate over 100 hours of battery life.
- Designed to attach to magnetic surface on long or wide load applications.



- Each bracket comes with 2 "Super" magnets.

PART NO.	DESCRIPTION
MIS 504L55AMB	Yellow
MIS 504L55MB	Red

HIGH INTENSITY DISCHARGE LAMPS

HID Spot and Flood Lamps

Spot and Flood Lamp Assembly

- HID Sealed beam in black rubber-like housing.
- 12V ballast with mounting bracket & wiring.
- Zinc plated mounting hardware - stud size: 1/2"

Lamp dimension: 7 1/2" L x 6" H x 5" D

Specifications: 12 Volt/35 Watts

Pattern: spot & flood

Rubber-like housings are shock absorbing and UV resistant. Able to withstand harsh road contaminants.

- High intensity discharge.
- Gives out white light which is close to natural light and easy on operators' eyes.
- Low amp draw (3 amps).
- Long life lamps.
- 200,000 candlepower spot with excellent penetration.
- 60,000 candlepower on flood.
- Available in black rubber-like resin housings.
- Light is 3-4 times brighter than halogen.



PART NO.	DESCRIPTION
MIS HID5071	Spot 12V
MIS HID5072	Flood 12V
MIS HID5071-24	Spot 24V
MIS HID5072-24	Flood 24V



PART NO.	DESCRIPTION
MIS SB7935HID-S	Replacement HID Spot Sealed Beam
MIS SB7955HID-S	Replacement HID Flood Sealed Beam
MIS HID5050	12V Ballast w/mounting bracket

CLEARANCE/MARKER LAMPS

Duramold 2-Bulb Square Corner

Featuring new "scalloped dip" lens. Low profile. Two stainless steel grounds, corrosion-proof, shock absorbing DURAMOLD. Attached pigtail, 12V. Interchanges with Signal-stat 1211, 1213. Lens interchanges with Signal-stat 9007.

PART NO.	DESCRIPTION
LIG 46792	Red Clearance Marker
LIG 46793	Yellow Clearance Marker
LIG 91963	Yellow Replacement Lens



12V Porch Utility Light

PART NO.	DESCRIPTION
LIG 2510	Interior/Exterior Dome/Utility Light with on/off switch 12V 2 1/2" x 4 1/2"



DISPLAYS



PART NO.
MUF MC100

QTY.	INCLUDES	SIZE
6	MUF MC112	1 1/2"
6	MUF MC134	1 3/4"
6	MUF MC178	1 7/8"
10	MUF MC200	2"
10	MUF MC214	2 1/4"
10	MUF MC212	2 1/2"
10	MUF MC234	2 3/4"
6	MUF MC300	3"
6	MUF MC312	3 1/2"
4	MUF MC400	4"
4	MUF MC500	5"



PART NO.
MUF RC100

QTY.	INCLUDES	SIZE
2	MUF RC0	1 1/2"
2	MUF RC1	1 3/4"
2	MUF RC2	2"
2	MUF RC3	2 1/2"
2	MUF RC4	3"
2	MUF RC5	2 1/4"
2	MUF RC7	2 3/4"
2	MUF RC8	3 1/2"
2	MUF RC9	4"
2	MUF RC10	4 1/2"
2	MUF RC11	5"

MUFFLERS

Allis-Chalmers Tractors

PART NO.	FOR MODELS	SPECS.
MFU AC1 Replaces 70210081 Inlet Clamp: MC112 Rain Cap: RC0	B, C, CA (exc. low octane engine) (1938-1957) - long muffler. (Vertical round body)	Weight: 5 lbs. Length: 29" Outlet O.D.: 1 1/2" Outlet Length: 9 1/4" Shell Length: 12 3/4" Inlet I.D.: 1 3/8" Inlet Length: 7" Shell Diameter: 3 1/4"
MFU AC2 Replaces 70219534 Inlet Clamp: MC158 Rain Cap: RC1	WD, (Gas) (1948-53) (Vertical round body)	Weight: 5 lbs. Length: 29" Outlet O.D.: 1 3/4" Outlet Length: 10 1/4" Shell Length: 16 1/2" Inlet I.D.: 1 5/8" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MFU AC3 Replaces 70233450 70227240 Inlet Clamp: n/a Rain Cap: RC0	B, C, CA (1938-1957)-thru hood. D10, D12, D14, D15 (Gas)-(to s/n 9001). Note: includes brackets, (1)-to head bolt, (1) to manifold. (Vertical round body)	Weight: 5 lbs. Length: 29" Outlet O.D.: 1 1/2" Outlet Length: 10" Shell Length: 16 1/2" Inlet I.D.: 1 3/8" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MFU AC4 Replaces 70229531 Inlet Clamp: n/a Rain Cap: RC1	WD45(Gas) (1953-1957), W226 & G226 D17 (Gas & LP)-(to s/n 32000), Model CP 2 Cotton Picker (D-17 engine). Note: Includes brackets-(1) to head bolt. & (1) to manifold. (Vertical round body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 1 3/4" Outlet Length: 10" Shell Length: 16 1/2" Inlet I.D.: 1 5/8" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MFU AC5 Replaces 70234494 Inlet Clamp: MC200 Rain Cap: RC2	D17 (Gas & LP)-(s/n 32001-42000), D (Gas) combine, Model 2CP Cotton Picker (has different engine than D-17 engine) (Vertical round body)	Weight: 6 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 9 1/4" Shell Length: 17" Inlet I.D.: 1 15/16" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MFU AC6 Replaces 70234493 Inlet Clamp: n/a Rain Cap: RC5	D15 (Diesel)-(to s/n 9001), D17 (Diesel)-(to s/n 38964). Note: Base Plate 3" x 4 1/8" (Vertical round body)	Weight: 5 lbs. Length: 26" Outlet O.D.: 2 1/4" Outlet Length: 6 1/2" Shell Length: 16 1/2" Inlet I.D.: B. Plate Inlet Length: 3" Shell Diameter: 3 1/4"
MFU AC7 Replaces 70246129 Inlet Clamp: MC200 Rain Cap: RC2	D17, Gas, (s/n 42001 & up), 707 (Vertical oval body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 8" Shell Length: 16 1/4" Inlet I.D.: 1 15/16" Inlet Length: 4 3/4" Shell Diameter: 4 1/2" x 9"
MFU AC8 Replaces 70246130 Inlet Clamp: MC212 Rain Cap: RC2	D19 (Gas) (1961-1963), 616 & 622; 801 & 802 cotton picker models (Vertical oval body)	Weight: 7 lbs. Length: 27" Outlet O.D.: 2" Outlet Length: 7 3/4" Shell Length: 16 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/2" x 9"
MFU AC9 Replaces 70237811 Inlet Clamp: MC134 Rain Cap: RC1	D15 Gas, (s/n 9001 & up) (Vertical oval body)	Weight: 8 lbs. Length: 27" Outlet O.D.: 1 3/4" Outlet Length: 12 1/2" Shell Length: 12 1/2" Inlet I.D.: 1 3/4" Inlet Length: 3 1/4" Shell Diameter: 4 1/2" x 9"

Allis-Chalmers Tractors

PART NO.	FOR MODELS	SPECS.
MFU AC10 Replaces 70237290 Inlet Clamp: MC212 Rain Cap: RC2	D15 (Diesel)-(s/n 9001 & up), D17 (Diesel)-(s/n 38964 & up) (1960-1967) (Vertical oval body)	Weight: 8 lbs. Length: 27" Outlet O.D.: 2" Outlet Length: 8" Shell Length: 16" Inlet I.D.: 2 3/8" Inlet Length: 3" Shell Diameter: 3 1/2" x 7"
MFU AC11 Replaces 70249324 Inlet Clamp: MC200 Rain Cap: RC2	170 & 175 (Gas) (1968-1980) (Vertical oval body)	Weight: 8 lbs. Length: 34" Outlet O.D.: 2" Outlet Length: 14" Shell Length: 16 1/2" Inlet I.D.: 1 15/16" Inlet Length: 3 1/2" Shell Diameter: 4 1/4" x 9"
MFU AC12 Replaces 70248883 Inlet Clamp: MC212 Rain Cap: RC2	180 (Gas & Diesel) & 185 (Diesel) (1968-1981) (Vertical oval body)	Weight: 11 lbs. Length: 34" Outlet O.D.: 2" Outlet Length: 15" Shell Length: 16 1/4" Inlet I.D.: 2 3/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/4" x 9"
MFU AC13 Replaces 70250049 Inlet Clamp: MC212 Rain Cap: RC5	170 & 175 (Diesel) (1968-1980), 180 (Gas) (1968-1973) (Vertical oval body)	Weight: 8 lbs. Length: 34" Outlet O.D.: 2 1/4" Outlet Length: 15" Shell Length: 16 1/4" Inlet I.D.: 2 3/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/4" x 9"
MFU AC14 Replaces 70250632 Inlet Clamp: MC212 Rain Cap: RC3	190 (Gas) (s/n 19001 & up) (1968-1973) (Vertical round body)	Weight: 12 lbs. Length: 50" Outlet O.D.: 2 1/2" Outlet Length: 18 1/2" Shell Length: 28 1/2" Inlet I.D.: 2 3/8" Inlet Length: 3" Shell Diameter: 5"
MFU AC15 Replaces 70244555 Inlet Clamp: MC300 Rain Cap: RC4	D21 (Diesel)-(1963-1969), 190 (Gas)-(see AC-18 muffler), 190 XT (Diesel) (1964-1973), D (Diesel Combine).	Weight: 5 lbs. Length: 40" Outlet O.D.: 3" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 3" Inlet Length: n/a Shell Diameter: 5"
MFU AC16 Replaces 70253660 Inlet Clamp: MC300 Rain Cap: RC4	190 XT, 200 (early), 210 & 220 (Diesel) (1964-1973). (Vertical round body)	Weight: 13 lbs. Length: 40" Outlet O.D.: 3" Outlet Length: 7" Shell Length: 28 1/2" Inlet I.D.: 3" Inlet Length: 4 1/2" Shell Diameter: 5"
MFU AC17 Replaces 70242070 Inlet Clamp: MC112 Rain Cap: RC0	D10, D12 (Gas)-(s/n 9001 & up) (Vertical oval body)	Weight: 7 lbs. Length: 33 1/4" Outlet O.D.: 1 1/2" Outlet Length: 13 1/2" Shell Length: 16 1/4" Inlet I.D.: 1 3/4" Inlet Length: 7/8" Shell Diameter: 3 1/4" x 7"
MFU AC18 Replaces 70243283 Inlet Clamp: MC212 Outlet Clamp: MC300	190 (Gas & Diesel)- to s/n 19000- (1964-68). Note: See AC15 for extension pipe. (Horizontal-round body)	Weight: 10 lbs. Length: 18" Outlet O.D.: 2 3/4" Outlet Length: 2 3/4" Shell Length: 18" Inlet I.D.: 2 3/8" Inlet Length: 2" Shell Diameter: 6"
MFU AC19 Replaces 70207310 Inlet Clamp: MC134 Rain Cap: RC1	160 (Perkins Diesel)-(1968-1973) 6040 (Diesel) (1980-1982) (Vertical round body)	Weight: 5 lbs. Length: 35" Outlet O.D.: 1 3/4" Outlet Length: 12 3/4" Shell Length: 19 3/4" Inlet I.D.: 1 11/16" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"

MUFFLERS

Allis-Chalmers Tractors

PART NO.	FOR MODELS	SPECS.
MUF AC20 Replaces 70268785 70261975 Inlet Clamp: MC300 Rain Cap: RC4	7000 (s/n 8553 & UP), 7010, 7020, 7030, 7040, 7045, 7050 & 7060 (all diesel)-(1979-1981) (Vertical oval body)	Weight: 17 lbs. Length: 48" Outlet O.D.: 3" Outlet Length: 11 3/4" Shell Length: 32 1/4" Inlet I.D.: 3" Inlet Length: 4" Shell Diameter: 6" x 10"
MUF AC21 Replaces 70269031 Inlet Clamp: MC400 Rain Cap: RC9	7080 & 7580 (diesel)-(1979-1981) Note: Muffler has straight aspirator tube. (Vertical oval body)	Weight: 25 lbs. Length: 49" Outlet O.D.: 4" Outlet Length: 26" Shell Length: 18" Inlet I.D.: 4" Inlet Length: 5" Shell Diameter: 6" x 10"
MUF AC22 Replaces 70271755 Inlet Clamp: MC300 Rain Cap: RC4	200 (late), 7000 (to s/n 8553) (Diesel), 190 Diesel Turbo (Vertical round body)	Weight: 16 lbs. Length: 48" Outlet O.D.: 3" Outlet Length: 12" Shell Length: 32 1/4" Inlet I.D.: 3" Inlet Length: 3 1/2" Shell Diameter: 5 1/2"
MUF AC23 Replaces 70210081 Inlet Clamp: MC112	B, C & CA (38-57) underhood muffler (Vertical oval body)	Weight: 3 lbs. Length: 9" Outlet O.D.: Bent pipe Outlet Length: 3 3/4" Shell Length: 4 1/4" Inlet I.D.: 1 3/8" Inlet Length: 1" Shell Diameter: 4 1/2" x 9"
MUF AC24 Replaces 70259460 Inlet Clamp: MC400 Rain Cap: RC9	8550 (1978-1981)- 4WD articulated. 4WD-305 (1982)-4WD articulated. Note: 2 required per tractor. Also, muffler has bent aspirator tube. (Vertical oval body)	Weight: 26 lbs. Length: 44 1/4" Outlet O.D.: 4" Outlet Length: 22 3/4" Shell Length: 18 1/4" Inlet I.D.: 4" Inlet Length: 3 1/4" Shell Diameter: 6 1/2" x 10 1/2"
MUF AC25 Replaces 70263428 Inlet Clamp: MC300 Rain Cap: RC4	6060,6070,6080 (1980-1982) Note: Including low clearance models. (Vertical oval body)	Weight: 15 lbs. Length: 46" Outlet O.D.: 3" Outlet Length: 24 1/4" Shell Length: 18 1/4" Inlet I.D.: 3" Inlet Length: 3" Shell Diameter: 4 1/2" x 9"
MUF AC26 Replaces 70299482 Rain Cap: RC2	6140 (Diesel) (Vertical round body).	Weight: 9 lbs. Length: 36" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 23" Inlet I.D.: Base plate Inlet Length: 10" Shell Diameter: 3 1/4"
MUF AC27 Replaces 72099119 Rain Cap: RC2	5020, 5030 (1984) (Vertical round body)	Weight: 6 lbs. Length: 28" Outlet O.D.: 2" Outlet Length: 2" Shell Length: 16" Inlet I.D.: Base plate Inlet Length: Bent pipe Shell Diameter: 3 1/4"
MUF AC28 Replaces 701444 Rain Cap: RC5	White New Idea Power Units 701, 702D, 703, 704, 705, 706 (1971 thru 1974) (Vertical round body)	Weight: 4 lbs. Length: 18 3/4" Outlet O.D.: 2 1/8" Outlet Length: 2" Shell Length: 13" Inlet I.D.: 2 1/4" Inlet Length: 3" Shell Diameter: 3 1/4"

Allis-Chalmers Combines

PART NO.	FOR MODELS	SPECS.
MUF AC101 Replaces 71118626 Inlet Clamp: MC200	T2 & T3 (vertical) (Vertical round body)	Weight: 4 lbs. Length: 12" Outlet O.D.: 2" Outlet Length: 2 1/4" Shell Length: 7 1/2" Inlet I.D.: 2" Inlet Length: 2 1/4" Shell Diameter: 6"
MUF AC102 Replaces 71117541 Inlet Clamp: MC212 Outlet Clamp: MC212	A, B, R (Gas/LP)-to s/n 25300. A, B, R (Diesel)- to s/n 20043. Note: includes adapter & inlet clamp. (Vertical round body)	Weight: 5 lbs. Length: 12" Outlet O.D.: 2 1/2" Outlet Length: 3" Shell Length: 6 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF AC103 Replaces 71117541 Inlet Clamp: MC212 Outlet Clamp: MC212	A & R (Gas)- (Hercules engine) (Vertical round body)	Weight: 4 lbs. Length: 12" Outlet O.D.: 2 1/2" Outlet Length: 3" Shell Length: 6 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF AC104 Replaces 71136466 71124210 Inlet Clamp: MC212	A,B,C,H&R (Buda-Gas/LP-s/n 25300 & up) (Same with Buda Diesel-s/n 20044 & up) CII (Gas-s/n 10001 up), F (Dsl) & G (Gas) (Horizontal round body)	Weight: 6 lbs. Length: 27" Outlet O.D.: 2 1/4" Outlet Length: 8" Shell Length: 19" Inlet I.D.: 2 3/8" Inlet Length: 2 1/4" Shell Diameter: 4 1/4"
MUF AC105 Replaces 71131701 71130606 Inlet Clamp: MC200	C & C11 Prior to SN 10000 Model E (D17 Engine) (horizontal) (Horizontal round body)	Weight: 5 lbs. Length: 18" Outlet O.D.: 2 1/4" Outlet Length: 2" Shell Length: 16" Inlet I.D.: 2" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF AC106 Replaces 71147567 Inlet Clamp: MC212	F (s/n 12201 & up), FII (to s/n 39201) K (year 1968 & up) (to s/n 25201)- all above Gas engine. (Horizontal round body)	Weight: 5 lbs. Length: 19" Outlet O.D.: 2 3/8" Outlet Length: 3" Shell Length: 16" Inlet I.D.: 2 1/2" Inlet Length: 2 1/4" Shell Diameter: 4 1/4"
MUF AC107 Replaces 71131701 Inlet Clamp: MC200 Outlet Clamp: MC200	E & EIII (s/n 6801 & up) (Horizontal round body) Shell dia. 3 1/4"	Weight: 4 lbs. Length: 22 1/2" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 16 1/2" Inlet I.D.: 1 7/8" Inlet Length: 3 1/4" Shell Diameter: 3 1/4"
MUF AC201 Replaces 7229567 7234493	616 & 622; 2RC & 2CP Note: Base plate measures 3" x 4 1/4" (Vertical round body)	Weight: 6 lbs. Length: 26" Outlet O.D.: 2 1/4" Outlet Length: 6 1/4" Shell Length: 16 1/2" Inlet I.D.: Base plate Inlet Length: 3" Shell Diameter: 3 1/4"

MUFFLERS

British Leyland

PART NO.	FOR MODELS	SPECS.
MUF BL1 Replaces ATJ 3752 ATJ 5473 Rain Cap: RC2	BMC=345 (ARJ 45); 456 (ARJ 51). Nuffield=342 (ARJ); 460 (ARJ 33) 1042 (NT 7070). Leyland=255, 270, 344, & 384. Note: Inlet has 2-hole baseplate. (Vertical round body)	Weight: 8 lbs. Length: 38" Outlet O.D.: 2" Outlet Length: 8 1/2" Shell Length: 23" Inlet I.D.: Base Plate Inlet Length: 6 3/4" Shell Diameter: 3 3/4"

Case Tractors

PART NO.	FOR MODELS	SPECS.
MUF CA1 Replaces A20494 Inlet Clamp: MC214 Rain Cap: RC5	C, CC, CL, D, DC, DE, DL, DIM, DS & "-4" (to 1954) (all gas engine). 400 (gas & diesel) 1955-1957. 700 & 800 (gas & diesel) 1958-1959 (Vertical round body)	Weight: 6 lbs. Length: 26" Outlet O.D.: 2 1/4" Outlet Length: 6" Shell Length: 17" Inlet I.D.: 2 1/4" Inlet Length: 3" Shell Diameter: 4 1/4"
MUF CA2 Replaces VTA 2811 VTA 1135 Inlet Clamp: MC200 Rain Cap: RC2	V, VA, VAC & VC (Gas) (1953-1955). 200B, 300B, 400B, & 500B (1957-1959). 300, 400, 500, & 600 (1953-1957) 310 & 350 (1954-59) 310 & 350 (1954-1959) (Vertical round body).	Weight: 5 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 9 1/2" Shell Length: 16 3/4" Inlet I.D.: 1 15/16" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF CA3 Replaces 06417AB Inlet Clamp: MC214 Rain Cap: RC5	SC, SI & SO (Gas)-(to 1954) (Vertical round body)	Weight: 5 lbs. Length: 26" Outlet O.D.: 2 1/4" Outlet Length: 7" Shell Length: 16 1/2" Inlet I.D.: 2 3/16" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MUF CA4 Replaces G13032 Inlet Clamp: MC158 Rain Cap: RC1	200B, 210B, 211B (Gas)-(1957-1959) 300 (53-57), 300B, 310B, 311B (57-59) 410B (57-59)-(Gas and Diesel). 430 (Gas) to s/n 8191147-(1960-1962). (Horizontal round body)	Weight: 4 lbs. Length: 22 1/2" Outlet O.D.: 1 3/4" Outlet Length: 3" Shell Length: 16 3/4" Inlet I.D.: 1 5/8" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF CA5 Replaces G45264 Inlet Clamp: MC212 Rain Cap: RC3	430 (Diesel) to s/n 8262800 (1960-1966) LCK 431 (Industrial) (Vertical round body)	Weight: 6 lbs. Length: 26" Outlet O.D.: 2 1/2" Outlet Length: 4 3/4" Shell Length: 17" Inlet I.D.: 2 1/2" Inlet Length: 4 1/4" Shell Diameter: 4 1/4"
MUF CA6 Replaces G45287 Inlet Clamp: MC214	600 (Gas & Diesel) (1957-1958) 430 & 530 (Gas) s/n 8191148 & up (1962-1969) 430 & 530 (Diesel) to s/n 8262800 (1960-1966) LCK 530 (Industrial)-(All Engines) (Horizontal round body)	Weight: 5 lbs. Length: 18 1/2" Outlet O.D.: 2 1/4" Outlet Length: 2 1/4" Shell Length: 13 1/2" Inlet I.D.: 2 1/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MUF CA7 Replaces G45239 Inlet Clamp: MC212 Rain Cap: RC3	530, 630, 640 & 641 (Gas & Diesel) (1960-1969) (Vertical round body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 4 1/2" Shell Length: 17" Inlet I.D.: 2 1/2" Inlet Length: 7 1/4" Shell Diameter: 4 1/4"

Case Tractors

PART NO.	FOR MODELS	SPECS.
MUF CA8 Replaces G45703 Inlet Clamp: MC178 Rain Cap: RC2	500 (Gas)-(1955-1957) 530 (Gas)-to s/n 81911470 (1960-1962) (Horizontal round body)	Weight: 5 lbs. Length: 19" Outlet O.D.: 2" Outlet Length: 2 3/4" Shell Length: 13 1/2" Inlet I.D.: 1 7/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MUF CA9 Replaces G45728 Inlet Clamp: MC178 Outlet Clamp: MC200	600B, 610B, 611B (1957-58) (horizontal) (Horizontal round body)	Weight: 5 lbs. Length: 19" Outlet O.D.: 2" Outlet Length: 2 3/4" Shell Length: 13 1/2" Inlet I.D.: 1 7/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MUF CA10 Replaces G45727 Inlet Clamp: MC214 Rain Cap: RC5	600B, 610B, 611B (1957-58) (vertical) (Vertical round body)	Weight: 5 lbs. Length: 29" Outlet O.D.: 2 1/4" Outlet Length: 8 1/4" Shell Length: 17" Inlet I.D.: 2 1/8" Inlet Length: 3 3/4" Shell Diameter: 4 1/4"
MUF CA11 Replaces A24314 A24376 A21464 Inlet Clamp: MC212 Rain Cap: RC3	730, 730C, 830 & 830C (1960-1969) (Gas and Diesel) Note: Long muffler (Vertical round body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 4 1/2" Shell Length: 17" Inlet I.D.: 2 1/2" Inlet Length: 7 1/2" Shell Diameter: 4 1/4"
MUF CA12 Replaces A24314 Inlet Clamp: MC212 Rain Cap: RC3	730, 740, 830, 840 (1960-1969) Gas & Diesel Short muffler - also see CA11 above. (Vertical round body)	Weight: 6 lbs. Length: 26" Outlet O.D.: 2 1/2" Outlet Length: 3 1/4" Shell Length: 17 1/4" Inlet I.D.: 2 1/2" Inlet Length: 5 1/2" Shell Diameter: 5 1/2"
MUF CA13 Replaces 06705AB Inlet Clamp: MC234 Rain Cap: RC7	I, LA, LA1, LAE, LAH, LA1H (ag & Ind.) (to 1954)-(all Gas & Diesel) 500 (Diesel)-(1955-1957) 900 (Diesel)-(1958-1959) (Vertical round body)	Weight: 6 lbs. Length: 26" Outlet O.D.: 2 3/4" Outlet Length: 6 1/2" Shell Length: 15" Inlet I.D.: 2 3/4" Inlet Length: 4 1/2" Shell Diameter: 6"
MUF CA14 Replaces T42286 A24103 A27105 Inlet Clamp: MC234 Rain Cap: RC7	930 & 940 (Gas & Diesel)(1960-1969) 930 CK (Diesel) & 1030 (Diesel)-(1960-1969) (Vertical round body)	Weight: 9 lbs. Length: 32" Outlet O.D.: 2 3/4" Outlet Length: 12" Shell Length: 17" Inlet I.D.: 2 3/4" Inlet Length: 3" Shell Diameter: 5 1/2"
MUF CA15 Replaces A59764 Inlet Clamp: MC234 Rain Cap: RC7	770 & 870 (Gas & Diesel) (1970 & Up) Note: Muffler includes heat shield. (Vertical round body)	Weight: 15 lbs. Length: 44" Outlet O.D.: 2 3/4" Outlet Length: 14" Shell Length: 26 1/2" Inlet I.D.: 2 3/4" Inlet Length: 3 1/2" Shell Diameter: 6"

MUFFLERS

Case Tractors

PART NO.	FOR MODELS	SPECS.
MUF CA16 Replaces A59765 Inlet Clamp: MC234 Rain Cap: RC7	970 & 1070 (Gas & diesel)-(1970 & Up) Note: muffler includes heat shield (Vertical round body)	Weight: 15 lbs. Length: 44" Outlet O.D.: 2 3/4" Outlet Length: 8" Shell Length: 27" Inlet I.D.: 2 3/4" Inlet Length: 9" Shell Diameter: 6"
MUF CA16-1 Replaces A59765 Inlet Clamp: MC234 Rain Cap: RC7	970 & 1070 (Gas & diesel)-(1970 & Up) (Vertical oval body)	Weight: 15 lbs. Length: 44" Outlet O.D.: 2 3/4" Outlet Length: 6 1/2" Shell Length: 32 1/2" Inlet I.D.: 2 3/4" Inlet Length: 5" Shell Diameter: 6" x 10"
MUF CA17 Replaces A64990 Inlet Clamp: MC312 Rain Cap: RC8	1170, 1175 & 1270 (D451T engine) 1370 (D504T engine)-(all diesel) (1970-1974) (Vertical round body)	Weight: 13 lbs. Length: 42" Outlet O.D.: 3 1/2" Outlet Length: 10" Shell Length: 28 3/4" Inlet I.D.: 3 1/2" Inlet Length: 3 3/4" Shell Diameter: 5 1/2"
MUF CA18 Replaces A39561 Inlet Clamp: MC212 Rain Cap: RC2	470 & 570 - (1970 to 1973) 480 & 580 Industrial (1970 & up) (all above-Gas & Diesel) (Vertical oval body)	Weight: 13 lbs. Length: 33" Outlet O.D.: 2" Outlet Length: 8 1/2" Shell Length: 19" Inlet I.D.: 2 1/2" Inlet Length: 5 1/2" Shell Diameter: 4 1/2" x 9"
MUF CA20 Replaces A66780 Inlet Clamp: MC312 Rain Cap: RC10	1370 (D504T engine)-(1973 & up). Application Note: Aspirator tube in base has 2-bolt flange. Also, see MUF CAE1 for extension pipe. (Vertical oval body)	Weight: 19 lbs. Length: 29" Outlet O.D.: 4 1/8" Outlet Length: 5 3/4" Shell Length: 18 1/4" Inlet I.D.: 3 1/2" Inlet Length: 5" Shell Dia: 6 1/2" x 10 1/2"
MUF CA21 Replaces A135881 Inlet Clamp: MC312	1570 (D504T engine) (1973 & up) Application note: Muffler has 1" dia. Straight aspirator tube; See MUF CAE1 for extension pipe. (Vertical oval body)	Weight: 19 lbs. Length: 28 1/2" Outlet O.D.: 4 1/8" Outlet Length: 5 1/2" Shell Length: 18" Inlet I.D.: 3 1/2" Inlet Length: 5" Shell Dia: 6 1/2" x 10 1/2"
MUF CA22 Replaces A147065 Inlet Clamp: MC312 Rain Cap: RC10	2090, 2290, (Diesel)-(1978 & up). 2294-1983-87 504 BDT Diesel Application note: Muffler has 1" dia. Side aspirator tube; See MUF CAE2 for extension pipe. Note: Muffler is base plate mounted. (3 holes) (Vertical oval body)	Weight: 25 lbs. Length: 31" Outlet O.D.: 4 1/8" Outlet Length: 4 1/2" Shell Length: 26 1/2" Inlet I.D.: 3 1/2" Inlet Length: 3" Shell Dia: 6 1/2" x 10 1/2"
MUF CA23 Replaces A147100 Inlet Clamp: MC400 Rain Cap: RC10	2390, 2394, 2590, 2594 (Diesel) (1978 & up). Application note: Muffler has 1-1/4" dia. Side aspirator tube; See MUF CAE2 for extension pipe. Note: Muffler is base plate mounted. (3 holes) (Vertical oval body)	Weight: 25 lbs. Length: 31" Outlet O.D.: 4 1/8" Outlet Length: 4 1/2" Shell Length: 26 1/2" Inlet I.D.: 4" Inlet Length: 3" Shell Dia: 6 1/2" x 10 1/2"
MUF CA24 Replaces A173180 83028C1 Inlet Clamp: MC212 Rain Cap: RC2	385, 395, 485, 495, 585, 595, 685, 690, 895, 985 up to s/n JJE0014501. 885 up to s/n 20135. Hydro 84, 385, 584, 684, 784, 884. Application note: These tractors are Case/IHC models. (Vertical oval body)	Weight: 12 lbs. Length: 46" Outlet O.D.: 2" Outlet Length: 23 1/2" Shell Length: 19 1/2" Inlet I.D.: 2 3/8" Inlet Length: 3" Shell Diameter: 4" x 8"

Case Tractors

PART NO.	FOR MODELS	SPECS.
MUF CA25 Replaces K201333 K304290 Rain Cap: RC2	1190 Diesel Tractor (Vertical oval body)	Weight: 7 lbs. Length: 45" Outlet O.D.: 2" Outlet Length: 20" Shell Length: 16" Inlet I.D.: 2" Inlet Length: 9" Shell Diameter: 3 1/2" x 7"
MUF CA26 Replaces K302951 Rain Cap: RC2	1290 & 1390 Diesel Tractors 1294 & 1394 (Vertical oval body)	Weight: 7 lbs. Length: 37" Outlet O.D.: 2 1/4" Outlet Length: 14" Shell Length: 16" Inlet I.D.: 2 1/4" Inlet Length: 7" Shell Diameter: 3 1/2" x 7"
MUF CA27 Replaces K301289 K301290 K306484 Rain Cap: RC1	1490 (less cab) & 1490 (with cab). Also 1494 (all models). Diesel Tractors. (Vertical round body)	Weight: 7 lbs. Length: 44" Outlet O.D.: 2 1/4" Outlet Length: 21 1/2" Shell Length: 14" Inlet I.D.: 2 1/4" Inlet Length: 8 1/2" Shell Diameter: 4 1/2"
MUF CA28 Replaces K203563 K304708 Rain Cap: RC1	1690 (all models) Diesel Tractors. (Vertical oval body)	Weight: 11 lbs. Length: 50" Outlet O.D.: 2 1/4" Outlet Length: 13 1/2" Shell Length: 24" Inlet I.D.: 2 1/4" Inlet Length: 14 1/2" Shell Diameter: 4" x 8"
MUF CA29 Replaces A147044 Inlet Clamp: MC400 Rain Cap: RC10	2470 Diesel. Note: Muffler has straight aspirator tube in base with 2-bolt baseplate. (Vertical oval body)	Weight: 25 lbs. Length: 27" Outlet O.D.: 4 1/8" Outlet Length: 5 1/2" Shell Length: 18" Inlet I.D.: 4" Inlet Length: 3 1/2" Shell Dia: 6 1/2" x 10 1/2"
MUF CA30 Replaces A147046 Inlet Clamp: MC400	2670 Note: Muffler has curved aspirator 1 1/4" with 2-hole baseplate. (Vertical oval body)	Weight: 34 lbs. Length: 54" Outlet O.D.: Bent pipe Outlet Length: 23" Shell Length: 28" Inlet I.D.: 4" Inlet Length: 2 1/2" Shell Dia: 8" x 11 1/2"
MUF CA31 Replaces A160176	2090, 2094 Non-aspirated. Application note: Muffler has 4 hole mounting plate side inlet. (Vertical oval body)	Weight: 21 lbs. Length: 29 1/2" Outlet O.D.: 3 1/4" Outlet Length: 3 1/2" Shell Length: 26" Inlet I.D.: 4 Hole baseplate Inlet Length: 6" Shell Diameter: 6" x 10"
MUF CA32 Replaces 103978C2	1086, 1486, 1586 Muffler is non aspirated and has a 4 hole mounting plate. (Horizontal oval body)	Weight: 16 lbs. Length: 15 1/2" Outlet O.D.: 3 1/4" Outlet Length: 2" Shell Length: 13 1/2" Inlet I.D.: 3 1/2" Inlet Length: 1" Shell Dia: 8" x 11 1/2"
MUF CA33 Replaces A162464 Inlet Clamp: MC400	All 4690 (1979-1982) 4694 (1983-1986) 4490 & 4484 Note: Aspirated muffler. Aspirator is 1 1/2" OD	Weight: 26 lbs. Length: 35" Outlet O.D.: 4" Outlet Length: 4" Shell Length: 27" Inlet I.D.: 4" Inlet Length: 4" Shell Diameter: n/a

MUFFLERS

Case Tractors

PART NO.	FOR MODELS	SPECS.
MUF CA34 Replaces 144057C5	5088, 5288, 5488 Note: 1086, 1486, 1586 must have aspirator kit installed. Aspirator is 1 1/2" OD. 	Weight: 19 lbs. Length: 18" Outlet O.D.: 3 1/2" Outlet Length: 7 1/2" Shell Length: 18" Inlet I.D.: 3 1/2" Inlet Length: 1" Shell Diameter: n/a
MUF CA35 Replaces 181372 Inlet Clamp: MC400	3294, 3394, 3594 Note: Muffler has 1 1/4" bent aspirator tube. Muffler has a 3 bolt hole mounting bracket.  NEW!	Weight: 30 lbs. Length: 31" Outlet O.D.: 4 1/8" Outlet Length: 3 1/2" Shell Length: 26" Inlet I.D.: 4" Inlet Length: 1 3/4" Shell Diameter: n/a
MUF CA36 Replaces 184475 87704568 Inlet Clamp: MC300	5130, 5140 Maxxum 5230, 5240, 5250 Maximum Note: Muffler has 2 bolt mounting brackets on both sides. (Horizontal oval body)  NEW!	Weight: n/a Length: 21" Outlet O.D.: n/a Outlet Length: n/a Shell Length: 20" Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 5" x 11"

Case Exhaust Pipe

PART NO.	FOR MODELS	SPECS.
MUF CAE1 Replaces A147045 Inlet Clamp: MC412	1370 (w/CA-20) & 1570 (Dsl)-(w/CA-21) Note: Extension pipe with angled outlet; used on CA20 & CA21 mufflers. 	Weight: 7 lbs. Length: 20 1/2" Outlet O.D.: angled Outlet Length: n/a Shell Length: n/a Inlet I.D.: 4 1/8" Inlet Length: n/a Shell Diameter: n/a
MUF CAE2 Replaces A141777 A181267 Inlet Clamp: MC412	2090, 2094, 2290 & 2294 (w/CA-22mfl) 2390, 2394, 2590, & 2594 (w/CA23 mflr) Note: Extension pipe with angled outlet; used on CA22 & CA23 mufflers. 	Weight: 9 lbs. Length: 38" Outlet O.D.: angled Outlet Length: n/a Shell Length: n/a Inlet I.D.: 4 1/8" Inlet Length: n/a Shell Diameter: n/a

Case Combines

PART NO.	FOR MODELS	SPECS.
MUF CA101 Replaces F18685 Inlet Clamp: MC200 Outlet Clamp: MC200	700, 900, 960 (Vertical round body) 	Weight: 4 lbs. Length: 17 1/2" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 12" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF CA102 Replaces F9405 Inlet Clamp: MC258	800, 1000, 1010 (Horizontal round body) 	Weight: 8 lbs. Length: 30" Outlet O.D.: 2 1/2" Outlet Length: 9 1/4" Shell Length: 17 3/4" Inlet I.D.: 2 5/8" Inlet Length: 3" Shell Diameter: 5"
MUF CA103 Replaces F81620 Inlet Clamp: MC212	600, 660 Gas & Diesel (Horizontal round body) 	Weight: 8 lbs. Length: 21" Outlet O.D.: 2" Outlet Length: 8 1/4" Shell Length: 21" Inlet I.D.: 2 5/8" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"

Cockshutt Tractors

PART NO.	FOR MODELS	SPECS.
MUF CO1 Replaces TG07530 Inlet Clamp: MC212 Rain Cap: RC3	40, R40, Golden Eagle, 50 (to 1958) 560 & 570 CO-OP E-4 & E-5 (1958) FARMCREST 40 & 50-all Gas/Diesel (Vertical round body) 	Weight: 6 lbs. Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 14" Shell Length: 12 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF CO2 Replaces T07530 Inlet Clamp: MC200 Rain Cap: RC2	30 & R30, (CO-OP E-3 and FARM-CREST 30)-(Gas engine) (1939-1958) (Vertical round body) 	Weight: 6 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 9" Shell Length: 17" Inlet I.D.: 1 15/16" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MUF CO3 Replaces 164079A 166486A Inlet Clamp: MC212 Rain Cap: RC3	770 (Gas & Diesel), 1600 (Gas & Diesel) 1550 (Gas & Diesel) & 1650 (Gas) (Vertical round body) 	Weight: 8 lbs. Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 7" Shell Length: 20" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF CO4 Replaces 164080A Inlet Clamp: MC300 Rain Cap: RC3	1800 (Gas/Diesel), 1650 (Diesel); 1750 & 1850 (Gas & Diesel to 1968) Note: Includes heat shield. (Vertical round body) 	Weight: 9 lbs. Length: 34" Outlet O.D.: 2 1/2" Outlet Length: 6" Shell Length: 23" Inlet I.D.: 2 15/16" Inlet Length: 4 1/2" Shell Diameter: 6"

David Brown Tractors

PART NO.	FOR MODELS	SPECS.
MUF DB1 Replaces K914137 K924341 Inlet Clamp: MC178 Rain Cap: RC2	770, late 880, 885, 995 & 1200 (Vertical round body) 	Weight: 7 lbs. Length: 35" Outlet O.D.: 2" Outlet Length: 6" Shell Length: 20" Inlet I.D.: 1 7/8" Inlet Length: 9" Shell Diameter: 4 1/4"
MUF DB2 Replaces K914083 K921351 Inlet Clamp: MC158 Rain Cap: RC1	880, 990 (61-78); 1200 (67-71)-(Diesel) (Vertical round body) 	Weight: 6 lbs. Length: 34" Outlet O.D.: 1 3/4" Outlet Length: 5" Shell Length: 20" Inlet I.D.: 1 5/8" Inlet Length: 9" Shell Diameter: 4 1/4"
MUF DB3 Replaces K262843 K926833 K928712 K9928704 Inlet Clamp: MC178 Rain Cap: RC2	770, 780, 880 & 885. Also fits 990, 995, 996 & 1200 (use adapter) #B928257. 1210 & 1212 (71-80) all Diesel. (Vertical oval body) 	Weight: 8 lbs. Length: 34" Outlet O.D.: 2" Outlet Length: 6 1/4" Shell Length: 16" Inlet I.D.: 1 7/8" Inlet Length: 11 1/2" Shell Diameter: 4" x 8"
MUF DB5 Replaces K910539C K964227 Inlet Clamp: MC112 Rain Cap: RC0	990 (61-78), 996, 1212 (71-76), 885, 995, 1210 (1971-1980) (all Diesel) (Horizontal round body) 	Weight: 6 lbs. Length: 27 1/2" Outlet O.D.: 1 9/16" Outlet Length: 8 1/2" Shell Length: 14" Inlet I.D.: 1 1/2" Inlet Length: 4 1/2" Shell Diameter: 4 1/4"

MUFFLERS

John Deere Tractors

PART NO.	FOR MODELS	SPECS.
MUF JD1 Replaces R21826R R81826R	Model A, AR, AN, AW, ANH (Gas & all fuel) (s/n 410000 & up). Model 60, 620, 70, 720 (Gas & all fuel). Note: JD1 has a 4 bolt mounting plate. Uses manifold pipe JDE1 (AA4014R) (Vertical round body)	Weight: 7 lbs. Length: 21" Outlet O.D.: 2 5/8" Outlet Length: 2 1/2" Shell Length: 14 1/2" Inlet I.D.: Base plate Inlet Length: 4 1/2" Shell Diameter: 4 1/4"
MUF JD2 Replaces AR20450R	60, 620, 70 & 720 (G). 70 & 720 (D) Opt 630 & 730 (G) & 730 (D) Std. Equip. Note: JD2 has a 4-bolt mounting plate. (Vertical oval body)	Weight: 10 lbs. Length: 21" Outlet O.D.: 2 5/8" Outlet Length: 2 1/2" Shell Length: 16 1/2" Inlet I.D.: Base plate Inlet Length: 3" Shell Dia: 4 1/4" x 9"
MUF JD3 Replaces AF3770R AA2214R	Model A, AR, AN, AW & AWH (33-52) Model G, GN, GH & GW (1938-1953) (Gas & all fuel), s/n 410000 & up. Model 60,620, 70, 720 (Gas & all fuel) Original equipment standard muffler. Note: JD3 has a 4-bolt mounting plate. (Vertical round body)	Weight: 5 lbs. Length: 24 1/2" Outlet O.D.: 2 1/2" Outlet Length: 1" Shell Length: 23" Inlet I.D.: Base plate Inlet Length: n/a Shell Diameter: 3 3/4"
MUF JD4 Replaces R21827R AB2700R Rain Cap: RC2	Model B, BN, & BW (Gas & all fuel) s/n B96000 & up. Model 50, 520 (standard muffler) & 530 (optional muffler) (1953-1959). Note: DR-4 has a 4-bolt mounting plate. Uses manifold pipe JDE2 (Vertical round body)	Weight: 5 lbs. Length: 24 1/2" Outlet O.D.: 2 1/4" Outlet Length: 5" Shell Length: 14 1/2" Inlet I.D.: Base plate Inlet Length: 4 1/2" Shell Diameter: 3 1/4"
MUF JD5 Replaces AM364T AM625T Rain Cap: RC2	M, MT, MC & MI (1947-1952). 40 (all 53-56), 320 & 330 (57-59). Note: 2 Bolt-flange mount; 1-7/8" OD. (Vertical & Horizontal round body)	Weight: 5 lbs. Length: 21" Outlet O.D.: 2" Outlet Length: 3 1/4" Shell Length: 14 1/2" Inlet I.D.: 1 3/4" Inlet Length: 3 1/4" Shell Diameter: 3 1/4"
MUF JD6 Replaces AM3246T Inlet Clamp: MC200 Rain Cap: RC2	330, 420, 430 & 440 (Gas) (1956-1959) Note: This muffler replaces AT10522 muffler & AT10523 adapter. (Vertical oval body)	Weight: 9 lbs. Length: 22" Outlet O.D.: 2" Outlet Length: 3 1/2" Shell Length: 16 1/2" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Diameter: 4 1/4" x 9"
MUF JD7 Replaces AT13044T Inlet Clamp: MC200 Rain Cap: RC2	435 & 440 (Diesel) (1957-1959) Note: Use with adapter AT11435T. (Vertical oval body)	Weight: 9 lbs. Length: 22" Outlet O.D.: 2" Outlet Length: 3 1/2" Shell Length: 16 1/2" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Dia: 4 1/4" x 9"
MUF JD8 Replaces AT10646T AM3101T Inlet Clamp: MC200 Rain Cap: RC2	320, 330 & 420 (Gas) s/n 135025 & up. 430 & 440 (Gas), 435 (Diesel) (s/n 442886 & up)-(1957-1959). 1010 (Gas) (all types with vertical exhaust). (Vertical round body)	Weight: 4 lbs. Length: 17 1/2" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 12 1/2" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF JD8A Replaces AT10523 Outlet Clamp: MC200	Used with JD8 and JD6. Note: Adapter has 2-bolt flange mounting.	Weight: 1 lbs. Length: 7 1/2" Outlet O.D.: 2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 7/8" Inlet Length: n/a Shell Diameter: n/a

John Deere Tractors

PART NO.	FOR MODELS	SPECS.
MUF JD9 Replaces AT10899T Inlet Clamp: MC200 Outlet Clamp: MC200	330 (Gas), 435 & 440 (Diesel) (1957-1959). 1010 (RS & U) (Gas). Note: Muffler has side inlet. (Horizontal round body)	Weight: 5 lbs. Length: 19" Outlet O.D.: 2" Outlet Length: 3 1/4" Shell Length: 15 3/4" Inlet I.D.: 2" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF JD10 Replaces AT16829 Outlet Clamp: MC200	1010 (Diesel) - to s/n 031000. Note: Muffler has side inlet. (Horizontal round body)	Weight: 5 lbs. Length: 20" Outlet O.D.: 2" Outlet Length: 3 1/2" Shell Length: 16" Inlet I.D.: 2 1/8" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF JD12 Replaces AT13310 Inlet Clamp: MC214 Rain Cap: RC3	1010 (Diesel)- to s/n 031000. 2010 (Diesel)- to s/n 029000. Row Crop Models. (Vertical round body)	Weight: 6 lbs. Length: 26" Outlet O.D.: 2 1/4" Outlet Length: 3 1/2" Shell Length: 20" Inlet I.D.: 2 3/16" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MUF JD14 Replaces AT21689 AT64102 Rain Cap: RC2	1020, 1520, 1530, 2020, 2030, 2130, 2040, 2240, 2630, 2640 (s/n 341000 & up) (all Gas & Diesel). Note: Inlet is flared; uses special clamp. (Vertical oval body)	Weight: 12 lbs. Length: 30" Outlet O.D.: 2" Outlet Length: 7 3/4" Shell Length: 19 1/2" Inlet I.D.: 2 1/2" Inlet Length: 3 1/2" Shell Dia: 4 1/4" x 9"
MUF JD15 Replaces R35637 AR61074 Inlet Clamp: MC400 Rain Cap: RC8	5010, 5020 & 6030. Note: This muffler also used on stationary & industrial non-tractor applications ENG-400, ENG-500, 6531D(Diesel). Note: Inlet is flared, uses special clamp J400 Vertical oval body. (Vertical oval body)	Weight: 17 lbs. Length: 37" Outlet O.D.: 3 1/2" Outlet Length: 3 1/2" Shell Length: 30" Inlet I.D.: 3 5/8" Inlet Length: 3 1/2" Shell Dia: 5 1/2" x 9 1/2"
MUF JD16 Replaces AT16380 Rain Cap: RC3	1010 (Diesel)-s/n 03001 & up. 2010 (Diesel)-s/n 029001 & up. Note: Inlet is flared; uses AT16378 clamp. (Vertical round body)	Weight: 6 lbs. Length: 24" Outlet O.D.: 2 1/4" Outlet Length: 3 1/2" Shell Length: 17" Inlet I.D.: 2 1/4" Inlet Length: 3 1/2" Shell Diameter: 4 1/4"
MUF JD17 Replaces AR21805R AR20819R Rain Cap: RC8	Model 80, 820 (Optional) 830 & 830I standard equipment. (Vertical oval body)	Weight: 12 lbs. Length: 19" Outlet O.D.: 3 1/2" Outlet Length: 2 3/4" Shell Length: 14 1/4" Inlet I.D.: 3 3/8" Inlet Length: 2 1/2" Shell Dia: 9 1/2" x 5 1/2"
MUF JD18 Replaces AT14167 Inlet Clamp: MC214 Outlet Clamp: MC134	2010 (Gas-LP-Diesel) to s/n 029000. Also fits later s/n tractors. Note: After s/n 029000, OEM muffler had a heat shield. JD18 has a heat shield. (Horizontal round body)	Weight: 7 lbs. Length: 35" Outlet O.D.: 1 3/4" Outlet Length: 19" Shell Length: 12 1/2" Inlet I.D.: 2 1/8" Inlet Length: 3 1/2" Shell Diameter: 4 1/4"
MUF JD19 Replaces AT21690 Rain Cap: RC2	2010, 2020(Gas-LP-Diesel) Note: This muffler not available from OEM, must sub to AT21689. Note: Inlet is flared; uses special clamp. (Vertical oval body)	Weight: 12 lbs. Length: 33 1/2" Outlet O.D.: 2" Outlet Length: 7 3/4" Shell Length: 19 1/2" Inlet I.D.: 2 1/8" Inlet Length: 8 1/4" Shell Dia: 4 1/4" x 9"

MUFFLERS

John Deere Tractors

PART NO.	FOR MODELS	SPECS.
MUF JD20 Replaces AR38383 AR61073 AR86599 Inlet Cap: RC3	2510 (Gas & Diesel) Row Crop Models. Also fits 2320-2420 Windrower. Note: This muffler also used on non-tractor engines: 3164D, 4239D & DT and 4276D & DT. Note: Inlet is flared; uses special clamp (Vertical round body)	Weight: 8 lbs. Length: 34" Outlet O.D.: 2 1/2" Outlet Length: 6 1/4" Shell Length: 20" Inlet I.D.: 2 1/2" Inlet Length: 7 1/8" Shell Diameter: 4 1/4"
MUF JD21 Replaces AR26640 AR26786 Inlet Clamp: MC300 Rain Cap: RC7	3010 (Gas & LP)-(Diesel-to s/n 1T 6643) 3020 (Gas & LP) 4010 (Gas & LP)-(Diesel-to s/n 2T 7026) 4020 & 4000 (Gas & LP). Note: See JD22 for round body muffler with flared inlet. (Vertical round body)	Weight: 10 lbs. Length: 26" Outlet O.D.: 2 5/8" Outlet Length: 3" Shell Length: 20" Inlet I.D.: 2 15/16" Inlet Length: 3" Shell Diameter: 6"
MUF JD22 Replaces AR30189 AR30190 Inlet Clamp: MC300 Rain Cap: RC7	3020 (Diesel)- to s/n 122999, 4010 (Diesel)-s/n 2T 7027 & up; 4020 (Diesel)-to s/n 200999. Note: Inlet is flared, uses special clamp JD300. (Vertical round body)	Weight: 11 lbs. Length: 26" Outlet O.D.: 2 5/8" Outlet Length: 3" Shell Length: 20" Inlet I.D.: 2 15/16" Inlet Length: 3" Shell Diameter: 6"
MUF JD23 Custom Design Inlet Clamp: MC400 Rain Cap: RC9	4520, 4620 & 7020 (Diesel). Note: Used with Muffler JD27. Inlet clamp MUF JD400 is included. (Vertical extension pipe)	Weight: 7 lbs. Length: 24" Outlet O.D.: 4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 4" Inlet Length: n/a Shell Diameter: n/a
MUF JD24 Replaces AR41171 AR86595 Inlet Clamp: MC300 Rain Cap: RC5	3020 (Diesel)- s/n 123000 & up. 4020 & 4000 (Diesel) -s/n 201000 & up. 4030, 4230, 4040, 4240 & 4440. Note: This muffler also used on stationary & industrial non-tractor applications; ENG-400, ENG-500, 6466D (T&A)-Diesel. (Vertical round body)	Weight: 12 lbs. Length: 27" Outlet O.D.: 2 1/4" Outlet Length: 4" Shell Length: 19 1/4" Inlet I.D.: 2 15/16" Inlet Length: 4 1/2" Shell Dia: 4 1/4" x 9"
MUF JD25 Replaces AR41172 Inlet Clamp: MC300 Rain Cap: RC5	3020 (Gas)-s/n 123000 & up; 4000/4020 (Gas)-s/n 201000 & up; 4230 (Gas)- all s/n. Note: This muffler also used on Stationary & Industrial non-tractor applications; ENG-400 & ENG 500 (Gas & LP). (Vertical oval body)	Weight: 12 lbs. Length: 27" Outlet O.D.: 2 1/4" Outlet Length: 4" Shell Length: 19 1/4" Inlet I.D.: 2 15/16" Inlet Length: 4 1/2" Shell Dia: 4 1/4" x 9"
MUF JD26 Replaces AR48773 AR61073 AR86599 RE20224 Inlet Clamp: MC400A Rain Cap: RC8	4040, 4050, 4240, 4320, 4430, 4440, 4630, 4640 (s/n 5511 & up). 4055, 4250, 4255, 4450, 4455, 4840. Note: This muffler used on other non-tractor applications. ENG 4239 D&T, 4276 D&T, 6359 D&T, 6414 D&T, 6466 D&T, Inlet clamp MUF JD400A is included.(Vertical oval body)	Weight: 20 lbs. Length: 37" Outlet O.D.: 3 1/2" Outlet Length: 3" Shell Length: 33" Inlet I.D.: 3 15/16" Inlet Length: 1 1/2" Shell Dia: 4 3/4" x 8"
MUF JD27 Replaces AR44418 Inlet Clamp: MC400 Rain Cap: RC9	4520, 4620, 6030 w/o Turbo & 7020 (Diesel). Note: This muffler also used on non-tractor applications; ENG-400, ENG-500, 4276D & 641 D&T. Note: This muffler is aspirated and has flared inlet, Special clamp JD400 (Vertical oval body)	Weight: 16 lbs. Length: 34" Outlet O.D.: 4" Outlet Length: 5 1/2" Shell Length: 27" Inlet I.D.: 3 15/16" Inlet Length: 1 1/2" Shell Dia: 4 3/4" x 8"

John Deere Tractors

PART NO.	FOR MODELS	SPECS.
MUF JD28 Replaces AR327R	Model R (1949-1954); 80 (1954-1956); 820 (1956-1958) (all Diesel engines). Note: This muffler has a 3-bolt mounting plate. (Vertical round body)	Weight: 4 lbs. Length: 20" Outlet O.D.: 2 1/2" Outlet Length: 1" Shell Length: 18 1/4" Inlet I.D.: Base plate Inlet Length: n/a Shell Diameter: 3 3/4"
MUF JD29 Replaces AM30280	Tractor model: 112 (using Kohler 12 hp 1 cylinder gas engine). (Horizontal round body)	Weight: 3 lbs. Length: 9" Outlet O.D.: 1" Outlet Length: 1/2" Shell Length: 5 1/2" Inlet I.D.: 1" Inlet Length: 3 1/4" Shell Diameter: 4 1/4"
MUF JD30 Replaces AR86604 Inlet Clamp: MC400 Rain Cap: RC11	8430, 8630 Note: Straight aspirator 1 1/4" O.D. (Vertical oval body)	Weight: 30 lbs. Length: 38" Outlet O.D.: 5" Outlet Length: 5" Shell Length: 30" Inlet I.D.: 3 15/16" Inlet Length: 3 1/2" Shell Dia: 8" x 11 1/2"
MUF JD31 Replaces AR 89594 Inlet Clamp: MC400 Rain Cap: RC11	8440, 8640 Note: Curved aspirator 1-1/2" O.D. (Vertical oval body)	Weight: 30 lbs. Length: 38" Outlet O.D.: 5" Outlet Length: 5" Shell Length: 30" Inlet I.D.: 3 15/16" Inlet Length: 3 1/2" Shell Dia: 8" x 11 1/2"
MUF JD32 Replaces AR38537 Rain Cap: RC2	2520 (Gas & Diesel)-Row Crop Models. Note: Inlet is flared, uses special clamp. (Vertical oval body)	Weight: 14 lbs. Length: 33" Outlet O.D.: 1 7/8" Outlet Length: 2 1/2" Shell Length: 25 1/4" Inlet I.D.: 2 1/2" Inlet Length: 6 1/2" Shell Dia: 4 3/4" x 8"
MUF JD33 Replaces RE 20220 AR 86597 Inlet Clamp: MC300A Rain Cap: RC7	4040, 4240, 4250, 4440, 4450, 4050 (prior to s/n 5510). Note: NEW DESIGN! Replaces flared inlet muffler. Inlet clamp included. (Vertical oval body)	Weight: 16 lbs. Length: 34" Outlet O.D.: 2 1/2" Outlet Length: 2 1/2" Shell Length: 27 1/4" Inlet I.D.: 2 15/16" Inlet Length: 5" Shell Diameter: 4 3/4" x 8"
MUF JD34 Replaces RE 20222 AR 86602 AR 77304 Inlet Clamp: MC400A Rain cap: RC9	4640, 4650, 4840, 4850, 4555, 4755, 4955 Note: NEW DESIGN! Replaces flared inlet muffler. (Vertical oval body)	Weight: 18 lbs. Length: 38" Outlet O.D.: 4" Outlet Length: 3 1/4" Shell Length: 30 1/4" Inlet I.D.: 3 15/16" Inlet Length: 5" Shell Dia: 5 1/2" x 9 1/2"
MUF JD35 Replaces CH15910	650, 750 4-Hole baseplate Note: Inlet has 4 hole baseplate. For short extension see JD37. For longer extension use EE2 (Vertical or Horizontal oval body)	Weight: 5 lbs. Length: 20" Outlet O.D.: 1 3/4" Outlet Length: 5 1/2" Shell Length: 11 1/2" Inlet I.D.: Base Plate Inlet Length: 2" Shell Diameter: 3" x 7"

MUFFLERS

John Deere Tractors

PART NO.	FOR MODELS	SPECS.
MUF JD36 Replaces M802472	850, 950 (1978-88), Compact utility tractor 1050 (1980-88) Note: Inlet has 4 hole baseplate. For short extension see JD37. For longer extension use EE2 (Vertical or Horizontal oval body)	Weight: 5 lbs. Length: 21 1/2" Outlet O.D.: 1 3/4" Outlet Length: 7" Shell Length: 12" Inlet I.D.: Base plate Inlet Length: 2" Shell Diameter: 4 1/2"
MUF JD37 Replaces CH15625 Inlet Clamp: MC178	Short Extender for MUF JD35 & MUF JD36 for longer extension, see exhaust extenders or straight pipes.	Weight: 2 lbs. Length: 6" Outlet O.D.: n/a Outlet Length: n/a Shell Length: n/a Inlet I.D.: n/a Inlet Length: 1 1/8" Shell Diameter:
MUF JD38 Replaces AR20449	50, 520, 530 4-Hole baseplate Note: Inlet has 4 hole baseplate. (Vertical oval body)	Weight: 9 lbs. Length: 22 3/4" Outlet O.D.: 2 1/4" Outlet Length: 2" Shell Length: 19" Inlet I.D.: Base plate Inlet Length: 1 1/8" Shell Diameter: 4 1/2" x 9"
MUF JD39 Replaces AR53749 Inlet Clamp: MC400 Rain Cap: RC9	6030 turbo, 1972-77 will not fit non-turbo. 7020 turbo, 1971-75 engine S/N 335846 & up. 7520 4-wheel drive with turbo 1972-75. (Vertical oval body)	Weight: 18 lbs. Length: 36 1/2" Outlet O.D.: 4" Outlet Length: 5" Shell Length: 30" Inlet I.D.: 3 15/16" Inlet Length: 1 1/2" Shell Dia: 5 1/2" x 9 1/2"
MUF JD40 Replaces RE44716 Inlet Clamp: MC500	8100, 8200, 8300, 8400, 8110, 8210, 8310, 8410 (Vertical oval body)	Weight: n/a Length: 66" Outlet O.D.: Bent pipe Outlet Length: 22" Shell Length: 40" Inlet I.D.: 5" Inlet Length: 3 1/2" Shell Diameter: 7"
MUF JD41 Replaces RE164819 RE195069 RE210829 Inlet Clamp: MC500	8120, 8220, 8320, 8520, 8130, 8230, 8330, 8430, 8530, 4920, 4930 sprayer. (Vertical oval body)	Weight: n/a Length: 69" Outlet O.D.: Bent pipe Outlet Length: 10" Shell Length: 55" Inlet I.D.: 5" Inlet Length: 3 1/2" Shell Diameter: 7"
MUF JD42 Replaces RE25444 RE41891	8560, 8760, 8960 - years 1989-1993 Note: Muffler has a 1 1/2" side aspirator pipe and 6 hole inlet mounting flange. (Vertical oval body)	Weight: n/a Length: 52" Outlet O.D.: 5" Outlet Length: 5" Shell Length: 41" Inlet I.D.: 5" Inlet Length: 5" Shell Diameter: 9"
MUF JD43 Replaces RE229262 Inlet Clamp: MC500	9100, 9200, 9300, 9400 years 1996-2002 Note: Muffler has a 2" side aspirator pipe. (Vertical oval body)	Weight: n/a Length: 55 1/2" Outlet O.D.: 5" Outlet Length: 9 1/2" Shell Length: 41" Inlet I.D.: 5" Inlet Length: 3 1/2" Shell Diameter: 9"
MUF JD44 Replaces RE58615 Inlet Clamp: MC500	8570, 8770, 8870 - years Note: Muffler has a 1 1/2" side aspirator pipe and 3 hole mounting flange. (Vertical round body)	Weight: n/a Length: 46" Outlet O.D.: 5" Outlet Length: 3" Shell Length: 42" Inlet I.D.: 5" Inlet Length: 3 1/2" Shell Diameter: 9"

John Deere Muffler & Pipe Kit

PART NO.	FOR MODELS	SPECS.
MUF JD2150K Inlet Clamp: MC200 Rain cap: RCS	Muffler & pipe kit converts underhood muffler to above hood muffler. Muffler and vertical exhaust pipe. 2150, 2155 (non turbo) with 3-179 engine, 2350, 2355, 2550, 2555 (non turbo) with 4239 engine. Kit contains: Manifold to muffler pipe (2-bolt hole flange inlet), muffler, above hood pipe, clamps and raincap. Muffler: (Vertical round body.)	Weight: 14 lbs. Length: 26" Outlet O.D.: 2 1/4" Outlet Length: 6" Shell Length: 17" Inlet I.D.: 2 1/4" Inlet Length: 3" Shell Diameter: 4 1/4"
MUF JD2950K Rain cap: RC7	Muffler & pipe kit converts underhood muffler to above hood muffler and vertical pipe. 2840(late s/n), 2940, 2950, 2955, 3055, 3150, and 3155 (non-turbo) diesel engine. Kit contains: Manifold to muffler pipe has flared inlet, muffler, above hood pipe, clamps and raincap. Muffler: (Vertical oval body.)	Weight: 22" Length: 24" Outlet O.D.: 2 3/4" Outlet Length: 4 1/2" Shell Length: 17 1/2" Inlet I.D.: 2 3/4" Inlet Length: 2 1/2" Shell Diameter: 5 1/2" x 9 1/2"

MUFFLERS

John Deere Exhaust Pipes

PART NO.	FOR MODELS	SPECS.
MFJDE1 Replaces AA4014R	Model A-(styled)-(1938-1952)-Gasoline only (s/n 48800 & up). Note: Use this pipe with manifolds below: AA4543R-(casting number A4039R)-gasoline. (For muffler-see JD1 & JD3).	Weight: 6 lbs. Outlet O.D.: 2 1/2" Horizontal Length: 17" Vertical Length: 23" Inlet Type: 2 bolt
MFJDE2 Replaces AB3536R	Model B-(styled)-(B,BN,BW,BNH)-(1947-1952) (s/n B201000 & up). Note: Use this pipe with manifolds below: B2282R-(casting number B2282R)-all fuel. B2472R-(casting number B2472R)-gasoline. AB3980R-(casting number B2803R)-gasoline. (For muffler-see JD4).	Weight: 5 lbs. Outlet O.D.: 1 7/8" Horizontal Length: 20" Vertical Length: 25" Inlet Type: 2 bolt
MFJDE3 Replaces AF638R	Model G-(1941-1953)-(s/n G13000 & up). Note: Use this pipe with manifolds below: F552R-(Casting number F552R)-All-fuel. AF1323R-(casting number AF1323R)-gasoline. (For muffler-see JD1 & JD3).	Weight: 6 lbs. Outlet O.D.: 2 1/2" Horizontal Length: 23" Vertical Length: 15" Inlet Type: 2 bolt
MFJDE4 Replaces AA5347R	Model 60 (1954-1955)-all fuel (s/n 60139000 & up). Note: Use this pipe with manifolds below: A5751R (sub for A4641R)-all fuel (For muffler-see JD1, JD2, & JD3).	Weight: 6 lbs. Outlet O.D.: 2 1/2" Horizontal Length: 24" Vertical Length: 12" Inlet Type: 2 bolt
MFJDE5 Replaces AA6742R AR20584R	Model 620 (1956-1958) & 630 (1958-1959). All fuel, Gasoline & LP Gas-Row crop & Std. Note: Use this pipe with manifolds shown below: A5751R (all s/n's-row crop & std. tractors) (For muffler-see JD1, JD2 & JD3).	Weight: 6 lbs. Outlet O.D.: 2 1/2" Horizontal Length: 26" Vertical Length: 14" Inlet Type: 2 bolt
MFJDE6 Replaces AR20516R AF1520R	Model 70 (1953-55), 720 (1956-58) & 730 (1958-59). All fuel, Gasoline & LP Gas. Note: Use this pipe with manifolds shown below: F3035R (all s/n's-row crop & std. tractors) (Muffler-see JD1, JD2, & JD3).	Weight: 6 lbs. Outlet O.D.: 2 1/2" Horizontal Length: 25" Vertical Length: 13" Inlet Type: 2 bolt
MFJDE7 Replaces AR20582R AR4638R	Model 50 (53-55), 520 (56-58) & 530 (58-59)-Gas. Note: Use this pipe with manifolds below: F552R-(casting number F552R)-All fuel (For muffler-see JD4).	Weight: 5 lbs. Outlet O.D.: 1 7/8" Horizontal Length: 26" Vertical Length: 21" Inlet Type: 2 bolt

John Deere Exhaust Pipes


PART NO.	FOR MODELS	SPECS.
MFJDE8 Replaces AB3427R	Model B-(styled)-(B,BN,BW,BNH)-(1939-1947) (s/n B96000-B200999). Note: Use this pipe with manifolds below: B2179R-(casting number B2179R)-all fuel. AB3980-(casting number B2803R)-gasoline. (For muffler-see JD4).	Weight: 3 lbs. Outlet O.D.: 1 7/8" Horizontal Length: 19" Vertical Length: 21" Inlet Type: 2 bolt
MFJDE9 Replaces AB322R	Model B-(Unstyled) (s/n B1000-B42199) Note: Use this pipe with manifolds below: B73R - all fuel For muffler- see JD4	Weight: 3 lbs. Outlet O.D.: 1 7/8" Horizontal Length: 19" Vertical Length: 21" Inlet Type: 2 bolt
MFJDE10 Replaces AB1526R	Model B-(Styled) (s/n B96000-B183971) Note: Use this pipe with manifolds below: AB2846R - all fuel. For muffler- see JD4	Weight: 3 lbs. Outlet O.D.: 1 7/8" Horizontal Length: 19" Vertical Length: 21" Inlet Type: 2 bolt
MFJDE11 Replaces AF1972R AR20517R	Model 70 (1953-55), 720 (1956-58) & 730 (1958-59). Diesel. Note: Use this pipe with manifolds show below: F3035R (all s/n's-row crop & std. tractors) For muffler see JD1, JD2, & JD3	Weight: 6 lbs. Outlet O.D.: 2 1/2" Horizontal Length: 25" Vertical Length: 13" Inlet Type: 2 bolt

John Deere Combines

PART NO.	FOR MODELS	SPECS.
MUFJD101 Replaces AP17662H Inlet Clamp: MC212	45 to s/n 45-4831; 55 to s/n 55-46800; 65 to s/n 65-11000 (using Hercules engines). (Horizontal round body)	Weight: 8 lbs. Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 19 1/4" Inlet I.D.: 2 3/8" Inlet Length: 4" Shell Diameter: 4 1/4"
MUFJD102 Replaces AH11054 Inlet Clamp: MC212	55 Gas-HC217 engine (s/n 57001 to 59281). 55 Gas-HE217 engine-(s/n 59282 & up). (Horizontal round body)	Weight: 8 lbs. Length: 25 1/2" Outlet O.D.: 2 1/2" Outlet Length: 2 3/4" Shell Length: 19 3/4" Inlet I.D.: 2 1/2" Inlet Length: 3" Shell Diameter: 4 1/4"
MUFJD103 Replaces AH11014H Inlet Clamp: MC314	55 Diesel-HA232-(s/n 46801-60000). 95 Gas-HB317, HD217 or HG217 (s/n 9000 & up). 105 Gas-HA248-(all s/n). (Horizontal round body)	Weight: 7 lbs. Length: 22 1/2" Outlet O.D.: 2 1/2" Outlet Length: 7" Shell Length: 20" Inlet I.D.: 3 1/8" Inlet Length: 2 1/2" Shell Diameter: 5 1/2"

MUFFLERS

John Deere Combines

PART NO.	FOR MODELS	SPECS.
MUF JD104 Replaces AP26196H Inlet Clamp: MC212	45 Gas & LP-HA145 engine-(s/n 45-8432 to 45-21500). (Horizontal round body) 	Weight: 11 lbs. Length: 20 1/4" Outlet O.D.: 2" Outlet Length: 4 1/4" Shell Length: 16" Inlet I.D.: 2 1/2" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF JD105 Replaces AP26767H Inlet Clamp: MC212	45 (Diesel-HA155/165)-s/n 8000 & up. 55 (Gas-HA217)-s/n 46801-57000. 65 (Gas-HC217)-s/n 11001-11600. 65 (Gas-HE217)-s/n 11601 & up. (Vertical round body) 	Weight: 6 lbs. Length: 24" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 19 3/4" Inlet I.D.: 2 1/2" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF JD106 Replaces AH21287 Inlet Clamp: MC300	105 (all engines-all s/n). (Horizontal round body) 	Weight: 13 lbs. Length: 33 1/2" Outlet O.D.: 3" Outlet Length: 8" Shell Length: 25 1/4" Inlet I.D.: 2 7/8" Inlet Length: 4 1/2" Shell Diameter: 6 1/2"
MUF JD107 Replaces AH75694 Inlet Clamp: MC314	4400 (Gas-329 c.i.d. engine). 4400 (Diesel-329 c.i.d. engine). 6600 (Gas-303 c.i.d. engine). (Horizontal round body) 	Weight: 7 lbs. Length: 27" Outlet O.D.: 2 1/2" Outlet Length: 4 1/4" Shell Length: 23" Inlet I.D.: 2 3/4" Inlet Length: 3 1/4" Shell Diameter: 6 1/2"
MUF JD108 Replaces AH87289 Inlet Clamp: MC234	3300, 4400, 4420, 6600, 6620, 7700. Note: Naturally aspirated. (Horizontal round body) 	Weight: 12 lbs. Length: 23" Outlet O.D.: 2 1/2" Outlet Length: 2 1/2" Shell Length: 20" Inlet I.D.: 2 3/4" Inlet Length: 4" Shell Diameter: 7"
MUF JD109 Replaces AH87288 Inlet Clamp: MC312	6620, 7700, 7720 Turbo Charged (Horizontal round body) 	Weight: 12 lbs. Length: 22 3/4" Outlet O.D.: 3" Outlet Length: 2 3/4" Shell Length: 20" Inlet I.D.: 3 1/2" Inlet Length: 4" Shell Diameter: 7"
MUF JD201 Replaces AH26767H Inlet Clamp: MC212	99 (Gas-HA217 or HB271 engine). 299 (Gas-HE217 engine). (Vertical round body) 	Weight: 6 lbs. Length: 24" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 19 3/4" Inlet I.D.: 2 1/2" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF JD203 Replaces AH111834 Inlet Clamp: MC314	699 (all engines - all s/n) 9900 (all engines - all s/n) (Horizontal round body) 	Weight: 7 lbs. Length: 22 3/4" Outlet O.D.: 2 3/4" Outlet Length: 3 1/2" Shell Length: 19" Inlet I.D.: 3 1/8" Inlet Length: 2" Shell Diameter: 5 1/2"

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO1 Replaces DDN5230A DKN5230A Inlet Clamp: MC200 Rain Cap: RC2	Major Diesel (1952-1964) (4 cyl. Ford Diesel engines) (Vertical round body) 	Weight: 7 lbs. Length: 35" Outlet O.D.: 2" Outlet Length: 9" Shell Length: 17" Inlet I.D.: 1 7/8" Inlet Length: 9" Shell Diameter: 4 1/4"
MUF FO2 Replaces 957E 5230A 957E 5230C Inlet Clamp: MC134 Rain Cap: RC1	Dexta (Diesel-144 & 152 c.i.d.) (1957-1964) (3 cyl. Perkins Diesel engines) (Vertical round body) 	Weight: 6 lbs. Length: 34" Outlet O.D.: 1 3/4" Outlet Length: 3 1/2" Shell Length: 17" Inlet I.D.: 1 5/8" Inlet Length: 13" Shell Diameter: 4 1/4"
MUF FO3 Replaces 8N5230 Inlet Clamp: FO300	9N, 2N, & 8N (1939-1952)-(Gas) Note: Welded one-piece horizontal assembly, with flared inlet. 	Weight: 6 lbs. Length: 53" Outlet O.D.: n/a Outlet Length: n/a Shell Length: n/a Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: n/a
MUF FO4 Replaces NAA 5230E Inlet Clamp: MC158 Outlet Clamp: MC158	NAA (53-54), 600 & 700 (55-57), 501, 601, & 701 (58-62), 2000 series (63-64) with 134 c.i.d. Gas., 800 & 900 (55-57) with 172 cid Gas. 860 Jubilee (with FOE1, FOE3). Note: Use FO4A for manifold elbow. (Horizontal round body) 	Weight: 4 lbs. Length: 17 1/2" Outlet O.D.: 1 5/8" Outlet Length: 2 1/4" Shell Length: 13" Inlet I.D.: 1 5/8" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF FO4A Replaces NAA 55250B	NAA, Golden Jubilee, 600, 700 & 2000 equipped with 134 cu. In. gas & 172 cu. Inch gas engines. (1955-1957). Note: Used with FO4 muffler which replaces NAA 55250B. 	Weight: 2 lbs. Length: n/a Outlet O.D.: 1 5/8" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 2 bolt Inlet Length: n/a Shell Diameter: n/a
MUF FO5 Replaces C5NN 5230AR Inlet Clamp: MC134 Rain Cap: RC2	2000, 3000, 4000 (65-76)-3 cyl. Gas & Diesel. 5000 (65-75) 4 cyl. Gas & Diesel. Note: When using this muffler, must also use FO5A adapter. 	Weight: 7 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 13 1/4" Shell Length: 10 3/4" Inlet I.D.: 1 7/8" Inlet Length: 5" Shell Diameter: 4" x 8"
MUF FO5A Replaces C3NN 5255B	2000, 3000, 4000 (65-75)-3 cyl. Gas & Diesel. 5000 (65-75) 4 cyl. Gas & Diesel. Note: Adapter pipe for inlet, use with FO5 muffler. (Vertical oval body) 	Weight: 7 lbs. Length: 15 1/2" Outlet O.D.: 1 7/8" Outlet Length: 2 3/4" Shell Length: 11 1/4" Inlet I.D.: 1 7/8" Inlet Length: 1 1/2" Shell Diameter: 4" x 8"
MUF FO6 Replaces C5NN 5230AD Inlet Clamp: MC13	5000 (65 & up)-4 cyl. Diesel. Note: Includes bracket & bent outlet pipe. (Horizontal oval body) 	Weight: 7 lbs. Length: 19 1/4" Outlet O.D.: 1 3/4" Outlet Length: 6 1/2" Shell Length: 10 1/2" Inlet I.D.: 1 3/4" Inlet Length: 2 1/4" Shell Diameter: 4" x 8"

MUFFLERS

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO8 Replaces C5NN 5230AC Inlet Clamp: MC200 Rain Cap: RC2	6000-6 cyl. Diesel (64-66) (Vertical oval body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 13 1/4" Shell Length: 10 3/4" Inlet I.D.: 2" Inlet Length: 5" Shell Diameter: 4" x 8"
MUF FO9 Custom Design Inlet Clamp: FO300	9N, 2N, & 8N (1939-1952)-Gas. Note: Welded one piece assembly with flared inlet, requires special inlet clamp, FO300. 2" Flare	Weight: 7 lbs. Length: n/a Outlet O.D.: n/a Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter:
MUF FO10 Custom Design Inlet Clamp: FO300	9N, 2N, & 8N (1939-1952) (Gas) Note: Two piece assembly. 2" Flare	Weight: 7 lbs. Length: n/a Outlet O.D.: n/a Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter:
MUF FO11 Custom Design Inlet Clamp: MC112 Rain Cap: RC0	9N (1939-1942), 2N (1942-1947) & 8N (1948-1952). Note: Use to replace muffler in VERTICAL exhaust systems FO9 & FO10. (Vertical round body)	Weight: 3 lbs. Length: 17 " Outlet O.D.: 1 1/2" Outlet Length: 4" Shell Length: 11 1/4" Inlet I.D.: 1 1/2" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF FO12 Custom Design Inlet Clamp: MC134	NAA, 501, 600, 700, 800, 900, 2000 & 4000 (Gas 53-64). Note: Two piece assembly.	Weight: 7 lbs. Length: 17 1/2" Outlet O.D.: n/a Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 3/4" Inlet Length: n/a Shell Diameter:
MUF FO13 Custom Design Inlet Clamp: MC200	501, 601, 701, 801, 901, & 1801. (Diesel 144, 172)-801 & 901 (Gas) (1958-1964). Note: Two piece assembly. Two MC200 clamps are included.	Weight: 8 lbs. Length: 17 1/2" Outlet O.D.: 2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 2" Inlet Length: n/a Shell Diameter:
MUF FO14 Replaces 310079 Inlet Clamp: MC200 Outlet Clamp: MC178	801, -901 (58-62), 4000 series (61-64), & 1801 (58-60) with 172 cid Gas & Diesel. 501, 601, 701 (58-62), 861 Power master 2000 series (63-64) with 144 cid Diesel. 4000 (65-75), 3600 & 4600 (75-81) 3 Cyl. diesel - All Orchard & Narrow. Note: Uses FO14A for manifold elbow. (Horizontal round body)	Weight: 3 lbs. Length: 17 1/2" Outlet O.D.: 1 7/8" Outlet Length: 2" Shell Length: 13 1/4" Inlet I.D.: 2" Inlet Length: 2" Shell Diameter: 3 1/2"

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO14A Replaces 310075F	Cast iron manifold elbow. 800, 900 & 4000 ag tractors equipped with 172 cu. in. gas engines. (1958-1964). Note: Used with FO14 muffler, which replaces 310075F.	Weight: 2 lbs. Length: n/a Outlet O.D.: 2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 2 bolt Inlet Length: n/a Shell Diameter:
MUF FO15 Replaces C5NN5230AH Inlet Clamp: MC134	2000 & 3000 (64-69) 3 cyl. Gas & Diesel (Horizontal oval body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 1 3/4" Outlet Length: 13 1/4" Shell Length: 10 1/2" Inlet I.D.: 1 3/4" Inlet Length: 5 1/2" Shell Diameter: 4" x 8"
MUF FO16 Replaces C5NN5230AB Inlet Clamp: MC134	4000 (65 & up) - 3 cyl. Gas & Diesel. (Horizontal oval body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 1 3/4" Outlet Length: 13 1/2" Shell Length: 10 1/2" Inlet I.D.: 1 3/4" Inlet Length: 5 1/2" Shell Diameter: 4" x 8"
MUF FO17 Replaces C7NN5230Z C7NN5230AB C7NN5230AC Inlet Clamp: MC178 Rain Cap: RC2	2000, 3000, 4000 & 5000 (68 & up) 3 cyl & 4 cyl. Gas & Diesel. (Vertical round body)	Weight: 7 lbs. Length: 29" Outlet O.D.: 2" Outlet Length: 7 1/2" Shell Length: 17" Inlet I.D.: 1 7/8" Inlet Length: 4 1/2" Shell Diameter: 5 1/2"
MUF FO18 Replaces C7NN5230G Inlet Clamp: MC134	2000 & 3000 (69-75)-2100, 3100, 2110 & 4110, 2600, 3600 Ag. models. 231 & 531 Ind. (65-81) -all 3 cyl. Diesel. (Horizontal oval body)	Weight: 7 lbs. Length: 20 1/2" Outlet O.D.: 1 3/4" Outlet Length: 8" Shell Length: 10 1/2" Inlet I.D.: 1 3/4" Inlet Length: 2" Shell Diameter: 4" x 8"
MUF FO19 Replaces C9NN5230C Inlet Clamp: MC300 Rain Cap: RC4	8200, 8600 -6 cyl. Diesel (68-76) 9200, 9600 -6 cyl. Diesel (69-76) (Vertical round body)	Weight: 13 lbs. Length: 41" Outlet O.D.: 3" Outlet Length: 8 1/4" Shell Length: 24 1/2" Inlet I.D.: 2 7/8" Inlet Length: 9 1/4" Shell Diameter: 4"

MUFFLERS

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO20 Custom Design Inlet Clamp: MC112 Outlet Clamp: MC112	9N, 2N & 8N (1939-1952) Note: Used to replace muffler in horizontal exhaust systems for FO3 (can also replace muffler in 8N5230) (Horizontal round body)	Weight: 4 lbs. Length: 34" Outlet O.D.: 1 1/2" Outlet Length: 8 1/2" Shell Length: 23" Inlet I.D.: 1 1/2" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MUF FO21 Custom Design Muffler replaces NAA5230E	NAA, 501, 600, 700, 800, 900 2000 & 4000 (Gas- 53-64) Note: One piece welded assy. Pipe is not available separately. Specs refer to muffler.	Weight: 7 lbs. Length: 17 1/2" Outlet O.D.: 1 1/2" Outlet Length: 2 1/4" Shell Length: 13" Inlet I.D.: 1 11/16" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MUF FO22 Custom Design	501, 601, 701, 801, 901 & 1801 (Diesel 144, 172)-801 & 901 (Gas) (1958 to 1964) Note: One piece welded assy. Pipe is not available separately. Specs refer to muffler.	Weight: 8 lbs. Length: 17 1/2" Outlet O.D.: 1 3/4" Outlet Length: 2 1/4" Shell Length: 13" Inlet I.D.: 2" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF FO23 Replaces D2NN5230A Inlet Clamp: MC212 Rain Cap: RC3	7000, 7100 & 7200 (75-76) 4 cyl. dsl (Vertical round body)	Weight: 7 lbs. Length: 36" Outlet O.D.: 2 1/2" Outlet Length: 7 1/2" Shell Length: 24" Inlet I.D.: 2 3/8" Inlet Length: 4 1/2" Shell Diameter: 4 1/4"
MUF FO24 Replaces D5NN5230D D5NN5230E Inlet Clamp: MC178 Rain Cap: RC2	2000, 3000, 4000 & 5000 series (75 up) 3 cyl. & 4 cyl. Gas, LP & Diesel. (Vertical oval body)	Weight: 13 lbs. Length: 39" Outlet O.D.: 2" Outlet Length: 9" Shell Length: 26" Inlet I.D.: 1 7/8" Inlet Length: 4" Shell Diameter: 4 1/2" x 9"
MUF FO25 Replaces D5NN5230F D5NN5230V D9NN5230FA17M E4NN5230DA17M Inlet Clamp: MC212 Rain Cap: RC3	750 Loader (1975-81) 5110 (1984-91) 5610, 6410, 6610, 6710, 7000, 7100, 7200, 7600, 7610, 700 Turbo 1977 & up 7710 (75 up) 4 cyl. diesel. Note: for curved outlet use EE-5 extender. (Vertical oval body)	Weight: 14 lbs. Length: 38" Outlet O.D.: 2 1/2" Outlet Length: 8" Shell Length: 26" Inlet I.D.: 2 3/8" Inlet Length: 4" Shell Diameter: 4 1/2" x 9"
MUF FO26 Replaces D6NN5230T D9NN5230EA17M Inlet Clamp: MC178 Rain Cap: RC2	231, 232 (1975-81) 3 Cyl 5000, 5600, 6600, 6700, 7600 & 7700 - non turbo (65-75) 4 cyl. diesel Also 4600 - 3 cyl. diesel (Vertical oval body)	Weight: 13 lbs. Length: 49" Outlet O.D.: 2" Outlet Length: 18 3/4" Shell Length: 26 1/4" Inlet I.D.: 1 7/8" Inlet Length: 4" Shell Diameter: 4 1/2" x 9"
MUF FO27 Replaces D5NN5230S Inlet Clamp: MC234 Rain Cap: RC4	8700 - 6 cyl. Diesel (76-78) (Vertical oval body)	Weight: 17 lbs. Length: 44" Outlet O.D.: 3" Outlet Length: 10 3/4" Shell Length: 31 1/4" Inlet I.D.: 2 3/4" Inlet Length: 2" Shell Diameter: 5" x 11"

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO28 Replaces E4NN5230GB Inlet Clamp: MC178	2910, 3910, 4000, 4110 (81-85), 4130, 4600, 4610 (65-82) 4630 3 cyl. Diesel 5000, 5600, 5610, 5700, 6600 & 6700 (65-80) w/cab. 4 cyl. Diesel Ag. 515, 531, 535 & 545(78-82) - w/cab 3 cyl. Diesel Industrial. (Vertical oval body)	Weight: 13 lbs. Length: 41" Outlet O.D.: 2" Outlet Length: 8 1/2" Shell Length: 26 1/4" Inlet I.D.: 1 7/8" Inlet Length: 6" Shell Diameter: 4 1/2" x 9"
MUF FO29 Replaces E4NN5230F Inlet Clamp: MC178	2000-3000 (65 up), 2600, 3600 (75-80), 2610, 3610, (81-82), 2810, 2910, 3910 (85-90) Ag. models. 230A, 231, 335, 340, 420, 445 & 540 Industrial. (75-90) (Vertical oval body)	Weight: 14 lbs. Length: 49" Outlet O.D.: 2" Outlet Length: 27" Shell Length: 16" Inlet I.D.: 1 7/8" Inlet Length: 6" Shell Diameter: 4 1/2" x 9"
MUF FO30 Replaces D6NN5230F Inlet Clamp: MC178	550, 555, 555A, 555B & 655. (1975-78) Industrial Tractor/loader/backhoe. Note: In some special applications can replace FO17. (Horizontal round body)	Weight: 16 lbs. Length: 55" Outlet O.D.: Bent pipe Outlet Length: 23 1/4" Shell Length: 27" Inlet I.D.: 1 7/8" Inlet Length: 3 3/4" Shell Diameter: 5 1/2"
MUF FO31 Replaces C7NN5230H Inlet Clamp: MC134	3230, 3430, 3930, 4000 (65-74), 4130, 4610 & 4610SU, 4630 (82-90) 3 cyl. Diesel. (Horizontal oval body)	Weight: 7 lbs. Length: 19 1/2" Outlet O.D.: 1 3/4" Outlet Length: 7" Shell Length: 10 1/2" Inlet I.D.: 1 3/4" Inlet Length: 2" Shell Diameter: 4" x 8"
MUF FO32 Replaces D6NN5230AJ Inlet Clamp: MC312 Rain Cap: RC8	9700 - 6 cyl. Diesel (Vertical oval body).	Weight: 21 lbs. Length: 44 1/2" Outlet O.D.: 3 1/2" Outlet Length: 10 3/4" Shell Length: 31 1/2" Inlet I.D.: 3 1/2" Inlet Length: 2 3/4" Shell Dia: 5 1/4" x 11 1/2"
MUF FO33 Replaces 314100521 Rain Cap: RC0	1110, 1210, 1215, 1310, 1320, 1510, 1710, 1910, (1983-1987) (Vertical round body)	Weight: 5 lbs. Length: 24" Outlet O.D.: 1 1/2" Outlet Length: 2" Shell Length: 15" Inlet I.D.: Base plate Inlet Length: 6" Shell Dia: 3 1/4"
MUF FO34 Replaces 314100350 Rain Cap: RC1	1100, 1300, 1500, 1900 (1979-1982) (Vertical round body)	Weight: 6 lbs. Length: 24" Outlet O.D.: 1 3/4" Outlet Length: 2" Shell Length: 14" Inlet I.D.: Base plate Inlet Length: 8 1/2" Shell Dia: 4 1/4"

MUFFLERS

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO35 Replaces 314102140 Rain Cap: RC1	1700, 1720, 1920, 2120, 3415 (1987 to present) (Vertical round body)	Weight: 7 lbs. Length: 28 1/4" Outlet O.D.: 1 3/4" Outlet Length: 2" Shell Length: 19" Inlet I.D.: Base plate Inlet Length: 7" Shell Dia: 4 1/4"
MUF FO36 Replaces E4NN5230 BA17M Inlet Clamp: MC312	8630 and 8730 6 cyl. (1990-1993) 8830 TW-15, TW-20, TW-25 and TW-35. (Vertical oval body)	Weight: 20 lbs. Length: 48" Outlet O.D.: 3 1/4" Outlet Length: Bent pipe Shell Length: 31 5/8" Inlet I.D.: 3 1/2" Inlet Length: 2" Shell Dia: 5" x 11"
MUF FO37 Replaces E4NN5230 AA17M Inlet Clamp: MC312	TW-30 Note: Muffler has a straight 1 1/2" diameter aspirator. (Vertical oval body)	Weight: 30 lbs. Length: 50 1/2" Outlet O.D.: 3 1/4" Outlet Length: Bent pipe Shell Length: 31 5/8" Inlet I.D.: 3 1/2" Inlet Length: 2" Shell Dia: 5" x 11"
MUF FO38 Replaces E4NN5230 CA17M Inlet Clamp: MC234	TW-5, TW-10 (Vertical oval body)	Weight: 19 lbs. Length: 47" Outlet O.D.: 2 3/4" Outlet Length: Bent pipe Shell Length: 31 5/8" Inlet I.D.: 2 3/4" Inlet Length: 2" Shell Dia: 5" x 11"
MUF FO39 Replaces 0970014 Inlet Clamp: MC212	256 V (1984-1985) Versatile with Cummins / Ford engine, 276 II, 276V (Vertical oval body)	Weight: 12 lbs. Length: 33 1/4" Outlet O.D.: 2 3/4" Outlet Length: Bent pipe Shell Length: 18" Inlet I.D.: 3" Inlet Length: 2 1/4" Shell Dia: 4" x 9"
MUF FO40 Replaces 09702857 Inlet Clamp: MC234	9030 E, 9030 V (1990-1997) Bi-directional tractor Vertical oval body. (Vertical oval body)	Weight: 13 lbs. Length: 43" Outlet O.D.: 2 3/4" Outlet Length: Bent pipe Shell Length: 18" Inlet I.D.: 3" Inlet Length: 2 1/4" Shell Dia: 4" x 9"
MUF FO41 Replaces D9N-N5230HA17M Inlet Clamp: MC178	550 3 cyl. (1975-1978) Gas/Diesel Loader/Backhoe 3930 (Vertical round body)	Weight: 13 lbs. Length: 60" Outlet O.D.: 2" Outlet Length: Bent pipe Shell Length: 26" Inlet I.D.: 1 7/8" Inlet Length: 3 3/4" Shell Dia: 5 1/2"

Ford New Holland Tractors

PART NO.	FOR MODELS	SPECS.
MUF FO42 Replaces D4NN5230F Inlet Clamp: MC314	6 cyl. loader (1974-1983) (Vertical round body)	Weight: 20 lbs. Length: 32" Outlet I.D.: 3" Outlet Length: 3" Shell Length: 27 1/2" Inlet I.D.: 3" Inlet Length: 1 1/2" Shell Dia: 9"
MUF FO43 Replaces 83959846 Inlet Clamp: MC212	4835 4 cyl. 1996 (Vertical round body)	Weight: 8 lbs. Length: 31" Outlet I.D.: 2 1/4" Outlet Length: 11" Shell Length: 15" Inlet I.D.: 2 3/8" Inlet Length: 5" Shell Dia: 6"

Ford New Holland Exhaust Pipes

PART NO.	FOR MODELS	SPECS.
MUF FOE1 Replaces NCA5255B Inlet Clamp: MC112	600 (55-57), 601 (58-62), 2000 series (63-64); 134 cid Gas. 800 & 900 (55-57); 172 cid Gas all models except RowCrop. Note: Used with FO-4 muffler and FOE2 or FOE3 tailpipes. (Horizontal outlet pipe)	Weight: 3 lbs. Horizontal Length: 32" Vertical Length: 17" Outlet O.D.: 1 1/2" Inlet I.D.: 1 1/2"
MUF FOE2 Replaces 313810 Inlet Clamp: MC112	501, 601, 701 (58-62) & 2000 series (63-64) Used on all models including RowCrop with Select-o-Speed transmission. Note: Also replaces old FOE5 (Horizontal tailpipe)	Weight: 3 lbs. Horizontal Length: 53" Vertical Length: n/a Outlet O.D.: 1 1/2" Inlet I.D.: 1 1/2"
MUF FOE3 Replaces NCA5263B Inlet Clamp: MC112	NAA (53-54), 600 & 700 (55-57), 501 (59-62) 601 & 701 (58-62), 2000 series (63-64) with 134 cid Gas..800 (55-57) with 172 cid Gas.(all transmissions except Select-o-speed). Note: Used with FOE1 or FOE4 or FOE8. (Horizontal tailpipe)	Weight: 3 lbs. Horizontal Length: 54" Vertical Length: n/a Outlet O.D.: 1 1/2" Inlet I.D.: 1 1/2"
MUF FOE4 Replaces NCB5255B Inlet Clamp: MC112	700 (55-57), 501 & 701 (58-62) and 2000 series (63-64) RowCrop models only. with 134 cid Gas. 900 (55-57) RowCrop only. With 172 cid Gas. All transmissions. Note: Used with FO4 muffler, also FOE3 or FOE12 tailpipes. (Horizontal outlet pipe)	Weight: 3 lbs. Horizontal Length: 32" Vertical Length: 17" Outlet O.D.: 1 1/2" Inlet I.D.: 1 1/2"
MUF FOE7 Replaces NAA5255E Inlet Clamp: MC112	500, 600, 2000 (4 & 5 speed transmission). 2111 (Diesel)-offset -(1959)- 4 & 5 speed transmission. Note: Used with FOE13 outlet pipe. (Horizontal outlet pipe)	Weight: 2 lbs. Horizontal Length: 37" Vertical Length: n/a Outlet O.D.: 1 1/2" Inlet I.D.: 1 1/2"

MUFFLERS

Ford New Holland Exhaust Pipes


PART NO.	FOR MODELS	SPECS.
MUF FOE8 Replaces NAA5255D Inlet Clamp: MC112	NAA (with 4 speed trans). (1953-1954) Note: Used with FO4 muffler and FOE3 tailpipe. (Horizontal outlet pipe)	Weight: 6 lbs. Horizontal Length: 78" Vertical Length: 24" Outlet O.D.: 1 1/2" Inlet I.D.: 1 1/2"
MUF FOE9 Replaces 311050 Inlet Clamp: MC134	801 (58-62), 4000 series (61-64), 1801 (58-60) with 172 cid Gas. 4 & 5 speed transmission Not for RowCrop. Note: Used with FOE-10 outlet pipe. (Horizontal tailpipe)	Weight: 4 lbs. Horizontal Length: 60" Vertical Length: n/a Outlet O.D.: 1 3/4" Inlet I.D.: 1 3/4"
MUF FOE10 Replaces 311051 Inlet Clamp: MC134	801 (58-62), 4000 series (61-64), 1801 (58-60) with 172 cid Gas. All transmissions. Not for Rowcrop. Note: Used with FO14 muffler and FOE9 or FOE11 tailpipe (Horizontal outlet pipe)	Weight: 3 lbs. Horizontal Length: 29" Vertical Length: 24" Outlet O.D.: 1 3/4" Inlet I.D.: 1 3/4"
MUF FOE11 Replaces 313808 Inlet Clamp: MC134	801(58-62) 4000 series (61-64) with 172 cid Gas & Select-o-Speed transmission. Note: Used with FOE10 outlet pipe. (Horizontal tailpipe)	Weight: 2 lbs. Horizontal Length: 56" Vertical Length: n/a Outlet O.D.: 1 3/4" Inlet I.D.: 1 3/4"
MUF FOE12 Replaces 311466 Inlet Clamp: MC134	901 (58-62), 4000 series (61-64) RowCrop with 172 cid Gas - 4 & 5 speed transmission. Note: Used with FOE13 outlet pipe. (Horizontal tailpipe)	Weight: 2 lbs. Horizontal Length: 60" Vertical Length: n/a Outlet O.D.: 1 3/4" Inlet I.D.: 1 3/4"
MUF FOE13 Replaces 311467 Inlet Clamp: MC134	901 (58-62), 4000 series (61-64) RowCrop with 172 cid Gas and Select-o-speed transmission. Note: Used with FO14 muffler and FOE12 or FOE14 tailpipe. (Horizontal outlet pipe)	Weight: 3 lbs. Horizontal Length: 27" Vertical Length: 18" Outlet O.D.: 1 3/4" Inlet I.D.: 1 3/4"
MUF FOE14 Replaces 313809 Inlet Clamp: MC134	901 (58-62), 4000 series (61-64) Rowcrop with 172 cid Gas & Select-o-Speed transmission. Note: Used with FOE13 outlet pipe. (Horizontal tailpipe)	Weight: 4 lbs. Horizontal Length: 60" Vertical Length: n/a Outlet O.D.: 1 3/4" Inlet I.D.: 1 3/4"

Ford New Holland Exhaust Pipes

PART NO.	FOR MODELS	SPECS.
MUF FOE15 Custom Design Inlet Clamp: MC300	9N, 2N & 8N (1939-1952) Note: Used as part of FOE16 assembly. Requires use of FO300 inlet clamp kit. (Vertical exhaust pipe)	Weight: 4 lbs. Horizontal Length: 13 1/2" Vertical Length: 29" Outlet O.D.: 1 1/2" Inlet I.D.: 1 3/8"
MUF FOE16 Custom Design Inlet Clamp: MC300	9N, 2N & 8N (1939-1952)-(Gas) Note: Two piece assembly includes pipe clamp CL112 and support bracket. Also inlet is flared and must use special FO300 (not included). Note: No muffler is included. 2" flare	Weight: 7 lbs. Horizontal Length: n/a Vertical Length: n/a Outlet O.D.: n/a Inlet I.D.: 1 3/8"
MUF FOE17 Custom Design	NAA, 501, 600, 700, 800, 900, 2000 & 4000 (Gas 53-64). Note: Two piece assembly. No muffler is included. This assembly gives maximum exhaust flow – more power.	Weight: 5 lbs. Horizontal Length: n/a Vertical Length: n/a Outlet O.D.: 1 3/4" Inlet I.D.: 1 5/8"
MUF FOE18 Custom Design	9N, 2N & 8N (1939-1952) Note: Used as part of MUF FO3 assembly. Also inlet is flared. Use special clamp kit FO300. (Horizontal exhaust pipe)	Weight: 3 lbs. Horizontal Length: 22" Vertical Length: 15 1/2" Outlet O.D.: 1 1/2" Inlet I.D.: 1 3/8"
MUF FOE19 Custom Design	NAA, 501, 600, 700, 800, 900, 2000 & 4000 (Gas 53-64) Note: One piece bent pipe assembly.	Weight: 5 lbs. Horizontal Length: n/a Vertical Length: n/a Outlet O.D.: 1 1/2" Inlet I.D.: 1 3/8"
MUF FOE20 Custom Design	801, 901 & 4000 (Gas-172) (1958-1964) Note: One piece assembly. (support bracket and clamp included) This assembly gives maximum exhaust flow – more power.	Weight: 3 lbs. Horizontal Length: n/a Vertical Length: n/a Outlet O.D.: 1 3/4" Inlet I.D.: 1 5/8"

MUFFLERS

Ford New Holland Exhaust Pipes

PART NO.	FOR MODELS	SPECS.
MUF FOE21 Replaces C7NN5245B Inlet Clamp: MC200	2000, 3000 (69 up), 2100, 2110, 3100, 4110, 2600, 3600 Ag 231 & 531 Industrial (65 & up) (Horizontal tailpipe) - From outlet pipe to rear. 	Weight: 5 lbs. Horizontal Length: 47" Vertical Length: 24" Outlet O.D.: 1 3/4" Inlet I.D.: 2"
MUF FOE22 Replaces C7NN5245C 82865271 E9NN5245BA E9NN5245BB Inlet Clamp: MC200	(Horizontal tailpipe) - From outlet pipe to rear. 	Weight: 5 lbs. Horizontal Length: 47" Vertical Length: 24" Outlet O.D.: 1 3/4" Inlet I.D.: 2"

International Tractors

PART NO.	FOR MODELS	SPECS.
MUF IH1 Replaces 351436R92 Inlet Clamp: MC112 Rain cap: RC0	Farmall Cub - Standard (not Lo-Boy) (Vertical-round Body). 	Weight: 5 lbs. Horizontal Length: 22" Outlet O.D.: 1 1/2" Outlet Length: 6 3/4" Shell Length: 12 1/2" Inlet I.D.: 1 3/8" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF IH2 Replaces 361116R91 Inlet Clamp: MC112 Outlet Clamp: MC112	International Cub - Lo Boy (Horizontal-round body). 	Weight: 5 lbs. Horizontal Length: 22" Outlet O.D.: 1 1/2" Outlet Length: 6 3/4" Shell Length: 12 1/2" Inlet I.D.: 1 3/8" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF IH3 Replaces 360720R91 360720R92 Inlet Clamp: MC200 Rain Cap: RC2	Farmall A, Super A, B, BN, C & Super C (1939-1954). Farmall 100, 130, 140, 200, 230 & 240 (C-123 Gas Engine). Farmall 330 & 340 (C-135 Gas Engine) International 330 & 340 (Utility C-135 Gas Engine). Also T-340 Crawler (C-135 Gas engine). (Vertical round body) 	Weight: 6 lbs. Horizontal Length: 29" Outlet O.D.: 2" Outlet Length: 9 1/4" Shell Length: 17" Inlet I.D.: 1 15/16" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"

International Tractors

PART NO.	FOR MODELS	SPECS.
MUF IH4 Replaces 350600R95 350660R95 Inlet Clamp: MC212 Rain Cap: RC3	Farmall H & International W4 (with C152 gas engine) Super H & Super W4 (with C164 gas engine) Farmall 300 & 350 (C169 & C175 gas engine) Note: This is original style muffler, OEM style subs to IH10.(Vertical round body) 	Weight: 6 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 11 3/4" Shell Length: 14 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 5 1/2"
MUF IH5 Replaces 362483R91 Inlet Clamp: MC158 Outlet Clamp: MC134	International 300 (s/n 9501-62482 with C169 Gas engine) (Horizontal round body) 	Weight: 5 lbs. Horizontal Length: 24" Outlet O.D.: 1 3/4" Outlet Length: 2" Shell Length: 19 1/2" Inlet I.D.: 1 5/8" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF IH6 Replaces 365966R91 Inlet Clamp: MC158 Outlet Clamp: MC134	International 300 (s/n 62493 & up) and International 350 (s/n 501 & up) both use C175 Gas. International 504 (s/n 3104 & up, with C135 gas engine) (Horizontal round body) 	Weight: 5 lbs. Horizontal Length: 22 1/2" Outlet O.D.: 1 3/4" Outlet Length: 2 3/4" Shell Length: 16 3/4" Inlet I.D.: 1 5/8" Inlet Length: 2 3/4" Shell Diameter: 4 1/4"
MUF IH7 Replaces 704616R93 310979R91 Inlet Clamp: MC200 Rain Cap: RC2	B275 & B414 Utility. (BD144 Diesel) (Vertical round body) 	Weight: 6 lbs. Horizontal Length: 34" Outlet O.D.: 2" Outlet Length: 7" Shell Length: 20" Inlet I.D.: 2" Inlet Length: 6 3/4" Shell Diameter: 4 1/4"
MUF IH8 Replaces 304636R91 Inlet Clamp: MC200 Rain Cap: RC2	B-414 (Utility) - (B-144 Gas) (Vertical round body). 	Weight: 7 lbs. Horizontal Length: 41" Outlet O.D.: 2" Outlet Length: 7" Shell Length: 20" Inlet I.D.: 2" Inlet Length: 13" Shell Diameter: 4 1/4"
MUF IH9 Replaces 371039R91 371039R92 Inlet Clamp: MC178 Outlet Clamp: MC200	1963 - 330, 340, 560, I-560, 656 & 660 (C-263 Gas & D-282 Diesel). International 460 & 460 Grove (C-221 Gas & D-236), diesel 1968 - I-504 (D-188 Diesel) - s/n 3104 & up. I-606 - 2606 (C-221 Gas & D-236 Diesel engines). 1973 - 544-2544, 656-2656, 664 (Case) (Horizontal round body) 	Weight: 5 lbs. Horizontal Length: 22 1/2" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 17" Inlet I.D.: 1 7/8" Inlet Length: 3" Shell Diameter: 4 1/4"

MUFFLERS

International Tractors

PART NO.	FOR MODELS	SPECS.
MUF IH10 Replaces 350601R95 357288R92 370773R91 370644R91 Inlet Clamp: MC212 Rain Cap: RC3	Farmall H, Super H, M, Super M, MD, Super MD, Super MTA. also International W-4, S-W4, W6, S-W6, WD6 & S-WD6. (Gas & Diesel engines). Farmall 300 & 350 (C-175 Gas engine). Farmall 400 & 450 (C-281 Gas & D-281 Diesel engine) Farmall 460 & International 606 (C-221 Gas & D-236 Diesel engine). Farmall 560 (C-236 Gas & D-282 Diesel engine). (Vertical round body)	Weight: 8 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 14" Shell Length: 13" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF IH11 Replaces 381665R92 403825R1 Inlet Clamp: MC200 Rain Cap: RC2	3414, 424, 2424, 444 & 2444 Industrial. (B-144 Gas & BD-144 Diesel engines). I-504 & 2504 (C-135 Gas engine). (Vertical round body)	Weight: 6 lbs. Horizontal Length: 27" Outlet O.D.: 2" Outlet Length: 10" Shell Length: 14 1/2" Inlet I.D.: 1 15/16" Inlet Length: 2 1/2" Shell Diameter: 5 1/2"
MUF IH12 Replaces 303973R91 264117R92 637661C1 Inlet Clamp: MC314 Rain Cap: RC4	W-9 (Gas), WD-9 (Diesel) T-9 (Gas), TD-9 & TD-14 (Diesel) International 600 & 650 (C-350 Gas & D-350 Diesel engines). (Vertical round body)	Weight: 6 lbs. Horizontal Length: 22" Outlet O.D.: 3" Outlet Length: 3 1/2" Shell Length: 14 1/2" Inlet I.D.: 3 1/8" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF IH13 Replaces 384346R91 403551R1 Inlet Clamp: MC212 Rain Cap: RC3	706 (D-310 Diesel engine). Note: This is original style muffler. 464, 574, 615, 656, 664, 674, 715, 2500, 2656 w/engines BD154, C135, C146, C175, C200, D188, D236, D301 (Vertical round body)	Weight: 8 lbs. Horizontal Length: 34" Outlet O.D.: 2 1/2" Outlet Length: 14" Shell Length: 17" Inlet I.D.: 2 3/8" Inlet Length: 3" Shell Diameter: 5 1/2"
MUF IH14 Replaces 384345R1 384345R91 Inlet Clamp: MC300 Rain Cap: RC4	706 (C-263 Gas) & 806 (C-301 Gas & D-361 Diesel). (Vertical round body)	Weight: 8 lbs. Horizontal Length: 34" Outlet O.D.: 3" Outlet Length: 14" Shell Length: 17" Inlet I.D.: 2 15/16" Inlet Length: 3 1/2" Shell Diameter: 5 1/2"

International Tractors

PART NO.	FOR MODELS	SPECS.
MUF IH15 Replaces 376352R91 Inlet Clamp: MC212 Rain Cap: RC3	International 660 (C-263 Gas engine). (Vertical round body)	Weight: 8 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 20" Inlet I.D.: 2 3/8" Inlet Length: 4 1/4" Shell Diameter: 4 1/4"
MUF IH16 Replaces 264126R92 264126C4 Inlet Clamp: MC234 Rain Cap: RC7	F-20, F-30, W-30 (Gas) & TD-18 (Dsl) (Vertical round body)	Weight: 6 lbs. Horizontal Length: 26" Outlet O.D.: 2 3/4" Outlet Length: 6 1/2" Shell Length: 15" Inlet I.D.: 2 3/4" Inlet Length: 4 3/4" Shell Diameter: 4 1/4"
MUF IH17 Replaces 398512R2 Inlet Clamp: MC300 Rain Cap: RC4	706 & 756 (D-310 Diesel), 826 (D-358 Diesel). Note: Measure carefully before ordering - also see IH13 & IH22 for the 706 tractor. (Vertical round body)	Weight: 11 lbs. Horizontal Length: 40" Outlet O.D.: 3" Outlet Length: 8" Shell Length: 19 1/2" Inlet I.D.: 2 15/16" Inlet Length: 12 1/4" Shell Diameter: 6"
MUF IH18 Replaces 370664R1 Inlet Clamp: MC212 Rain Cap: RC3	Farmall 544 (C-200 Gas & D-239 Diesel) (Vertical round body)	Weight: 5 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 11 3/4" Shell Length: 14 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 5 1/2"
MUF IH19 Replaces 398511R1 Inlet Clamp: MC300 Rain Cap: RC4	706 (C-263 & C-291 Gas/LP), 756 & (C-291 Gas/LP), 856 (C-301 Gas/LP) (Vertical round body)	Weight: 10 lbs. Horizontal Length: 34" Outlet O.D.: 3" Outlet Length: 10 1/2" Shell Length: 19 1/2" Inlet I.D.: 2 15/16" Inlet Length: 4" Shell Diameter: 6"
MUF IH20 Replaces 393840R91	Cub Cadet Tractor models: 102, 104, 105, 106, 107, 122, 123, 125, 126 & 127 (using Kohler 10 & 12 hp 1 cyl. engines) (Horizontal round body)	Weight: 2.5 lbs. Horizontal Length: 15" Outlet O.D.: 1 5/16" Outlet Length: 2 1/2" Shell Length: 12 1/2" Inlet I.D.: 1 1/2" Inlet Length: 1 1/4" Shell Diameter: 3 1/4"
MUF IH21 Replaces 530577R1 Inlet Clamp: MC400 Rain Cap: RC8	1026 (D-407 Diesel), 1206 (DT-361 Diesel). 1256 & 1456 (DT-407 Diesel engine) (Vertical oval body.)	Weight: 17 lbs. Horizontal Length: 38" Outlet O.D.: 3 1/4" Outlet Length: 10 1/2" Shell Length: 23" Inlet I.D.: 3 3/4" Inlet Length: 4 1/2" Shell Diameter: 5" x 11"

MUFFLERS

International Tractors

PART NO.	FOR MODELS	SPECS.
MUF IH22 Replaces 530880R4 Inlet Clamp: MC300 Rain Cap: RC4	706 & 756 (D-310 Diesel) & 826 (D-358 Diesel). (Vertical oval body)	Weight: 16 lbs. Horizontal Length: 42" Outlet O.D.: 3" Outlet Length: 5 1/4" Shell Length: 23" Inlet I.D.: 2 15/16" Inlet Length: 14" Shell Diameter: 5" x 11"
MUF IH23 Replaces 3047572R93 Inlet Clamp: MC178	354-1972 B-414, I-424 & I-2424 Industrial (all use B-144 Gas engine) (Horizontal oval body)	Weight: 7 lbs. Horizontal Length: 38" Outlet O.D.: 1 3/4" Outlet Length: Bent tube Shell Length: 12" Inlet I.D.: 1 7/8" Inlet Length: Bent tube Shell Diameter: 3 1/2" x 7"
MUF IH24 Replaces 533924R1 Inlet Clamp: MC212 Rain Cap: RC2	I-454, 574, 674 & 684 Utility. (C-200 Gas & D-239 Diesel engine) (Vertical oval body)	Weight: 11 lbs. Horizontal Length: 30" Outlet O.D.: 2" Outlet Length: 9 1/2" Shell Length: 19" Inlet I.D.: 2 3/8" Inlet Length: 3 1/2" Shell Diameter: 4 1/2" x 9"
MUF IH25 Replaces 534546R1 Inlet Clamp: MC314 Rain Cap: RC4	766 (D-361 Diesel), 966 (D-414 Diesel) & H100 (D-436 Diesel engine). (Vertical oval body)	Weight: 16 lbs. Horizontal Length: 50" Outlet O.D.: 3" Outlet Length: 4" Shell Length: 23" Inlet I.D.: 3 3/16" Inlet Length: 22" Shell Diameter: 5" x 11"
MUF IH26 Replaces 534546R6 534546R3 Inlet Clamp: MC400 Rain Cap: RC8	1066 (DT-414 Diesel) & 1466, 1566 (DT-436 diesel engine). 4366, 4386 (Vertical oval body)	Weight: 17 lbs. Horizontal Length: 44" Outlet O.D.: 3 1/2" Outlet Length: 8 3/4" Shell Length: 23" Inlet I.D.: 3 3/4" Inlet Length: 12" Shell Diameter: 5" x 11"
MUF IH27 Replaces 530578R4 570578R3 Inlet Clamp: MC300 Rain Cap: RC4	666, 686, H70, H86, 706 & 766 (C-263 & C-291 Gas). 706 (D-310 diesel). 806 (C-301 Gas & D-361 Diesel). 826 & 856 (C-301 Gas) 856 (D-407 Diesel) (Vertical oval body)	Weight: 16 lbs. Horizontal Length: 34" Outlet O.D.: 3" Outlet Length: 8 1/4" Shell Length: 23" Inlet I.D.: 2 15/16" Inlet Length: 3 1/4" Shell Diameter: 5" x 11"

International Combines

PART NO.	FOR MODELS	SPECS.
MUF IH101 Replaces 305469R1 Inlet Clamp: MC200 Rain Cap: RC2	101, 151 & 203 combines (Gas eng.) (all serial numbers & models) (Vertical round body)	Weight: 4 lbs. Horizontal Length: 12" Outlet O.D.: 2" Outlet Length: 1 3/4" Shell Length: 6 1/4" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF IH102 Replaces 379936R91 Inlet Clamp: MC200	303 Combine (Gas engine) (Horizontal round body)	Weight: 6 lbs. Horizontal Length: 12" Outlet O.D.: 2 1/4" Outlet Length: 2" Shell Length: 10 1/2" Inlet I.D.: 2" Inlet Length: 2 1/4" Shell Diameter: 6"
MUF IH103 Replaces 379370R91 Inlet Clamp: MC212	403 & 503 Combines (Gas engine) (Horizontal round body)	Weight: 7 lbs. Horizontal Length: 13 1/2" Outlet O.D.: 2" Outlet Length: 2" Shell Length: 11 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2" Shell Diameter: 7 1/2"
MUF IH104 Replaces 359842R93 359842R91 Inlet Clamp: MC200	91, 93, 1010, 141 127, 151 & 18 Combines (Gas engine) (Horizontal round body)	Weight: 6 lbs. Horizontal Length: 26" Outlet O.D.: 2" Outlet Length: 8 3/4" Shell Length: 14 1/2" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Diameter: 5 1/2"
MUF IH105 Replaces 384345R92 393540R91 Inlet Clamp: MC300 Rain Cap: RC4	403 & 503 Combine (Gas engine) (Vertical round body)	Weight: 10 lbs. Horizontal Length: 34" Outlet O.D.: 3" Outlet Length: 11" Shell Length: 19 1/2" Inlet I.D.: 2 15/16" Inlet Length: 3" Shell Diameter: 6"
MUF IH106 Replaces 401776R 548369R1 Inlet Clamp: MC300	715 Combine (Gas engine) (Horizontal round body)	Weight: 8 lbs. Horizontal Length: 30" Outlet O.D.: 3" Outlet Length: 17 1/2" Shell Length: 11 1/2" Inlet I.D.: 3" Inlet Length: 3" Shell Diameter: 7 1/2"
MUF IH107 Replaces 531852R1 Inlet Clamp: MC300	815 Combine (V-8 335 Gas engine) (Vertical round body)	Weight: 7 lbs. Horizontal Length: 30" Outlet O.D.: 3" Outlet Length: 20" Shell Length: 12" Inlet I.D.: 2 15/16" Inlet Length: 3" Shell Diameter: 6"
MUF IH108 Replaces 546129R1 Inlet Clamp: MC300	915 Combine (V8-345 Gas & 6 cyl. Diesel) 815 Combine (V8-345 Gas & 6 cyl. Diesel) (Horizontal round body).	Weight: 8 lbs. Horizontal Length: 46" Outlet O.D.: 3" Outlet Length: 20" Shell Length: 13" Inlet I.D.: 2 15/16" Inlet Length: 12" Shell Diameter: 6"
MUF IH109 Replaces 131086C91 Inlet Clamp: MC400	1460 Combine (Diesel engine). 1480 combine (Diesel engine). Note: Muffler has a 1 1/4" aspirator tube. Also special mounting brackets (Horizontal round body)	Weight: 16 lbs. Horizontal Length: 28" Outlet O.D.: 4 1/4" Outlet Length: 10 1/2" Shell Length: 28" Inlet I.D.: 3 3/4" Inlet Length: 5" Shell Diameter: 6 1/2"

MUFFLERS

International Cotton Pickers

PART NO.	FOR MODELS	SPECS.
MUF IH201 Replaces 357288R92 370773R91 Inlet Clamp: MC212 Rain Cap: RC3	314 & 320 Cotton picker D-282 -(1 row tractor mounted) (Vertical round body)	Weight: 8 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 14" Shell Length: 13" Inlet I.D.: 2 3/8" Inlet Length: 2 1/2" Shell Diameter: 6"
MUF IH202 Replaces 359842R93 Inlet Clamp: MC200	214, 214A, 220 & 220A cotton picker 414 & 420. Also BD-24 (Horizontal round body)	Weight: 6 lbs. Horizontal Length: 26" Outlet O.D.: 2" Outlet Length: 8 3/8" Shell Length: 14 1/2" Inlet I.D.: 2 Inlet Length: 2 1/2" Shell Diameter: 5 1/2"

NEW!**NEW!**

Kubota


PART NO.	DESCRIPTION	SPECS.
MUF KU1 Replaces 15221 12116 Inlet Clamp: MC158	L-185, L-235, L-275, L-285, L-295, L-305, L-345, L-2050, L-2350. (Vertical round body)	Weight: 6 lbs. Horizontal Length: 20 1/2" Outlet O.D.: 1 3/4" Outlet Length: 2" Shell Length: 16 1/2" Inlet I.D.: 1 1/8" Inlet Length: 2" Shell Diameter: 4"
MUF KUE1 Replaces 12410 34219 Inlet Clamp: MC200	Extension Pipe - Breakover L-185, L-235, L-275, L-285, L-295, L-305, L-345, L-2050, L-2350. Note: use with KU1 muffler. Will not fit Kubota OEM muffler. Clamp not included.	Weight: 2 lbs. Horizontal Length: 24 1/4" Outlet O.D.: 1 3/4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 3/4" Inlet Length: n/a Shell Diameter: n/a
MUF KU2 Replaces 1575112010	B1550, B1750, B5200, B6200, B7200 1983-1989 13 hp thru 20 hp (Vertical round body)	Weight: 4 lbs. Horizontal Length: 20" Outlet O.D.: 1 3/4" Outlet Length: 2 3/4" Shell Length: 10 1/2" Inlet I.D.: Base plate Inlet Length: 6" Shell Diameter: 3 1/4"
MUF KU3 Replaces 1562112110	M6950, M7950 1983-1987 66 hp thru 76 hp (Vertical round body)	Weight: 10 lbs. Horizontal Length: 34" Outlet O.D.: 2" Outlet Length: 3 1/2" Shell Length: 28" Inlet I.D.: Base plate Inlet Length: 2 3/4" Shell Diameter: 5"


Massey Tractors

PART NO.	DESCRIPTION	SPECS.
MUF MF1 Replaces 186886M91 Inlet Clamp: MC134	MF-65 (Diesel) - (1958-1964) (Horizontal round body)	Weight: 6 lbs. Horizontal Length: 40" Outlet O.D.: Bent tube Outlet Length: 15 1/2" Shell Length: 23" Inlet I.D.: 1 3/4" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF MF2 Replaces 187269M91 Inlet Clamp: MC214 Rain Cap: RC3	MF-85 & MF-88 (Gas & LP) (1958-62) (Vertical round body)	Weight: 6 lbs. Horizontal Length: 38" Outlet O.D.: 2 1/4" Outlet Length: 8" Shell Length: 14 1/4" Inlet I.D.: 2 3/16" Inlet Length: 15" Shell Diameter: 4 1/4"
MUF MF3 Replaces 187553M92 Inlet Clamp: MC214 Rain Cap: RC3	MF-85, MF-88 & MF-90 (Diesel) (Vertical round body)	Weight: 6 lbs. Horizontal Length: 37" Outlet O.D.: 2 1/4" Outlet Length: 10 1/2" Shell Length: 14 1/2" Inlet I.D.: 2 1/4" Inlet Length: 11 1/4" Shell Diameter: 4 1/4"
MUF MF4 Replaces 190435M92 Inlet Clamp: MC214 Rain Cap: RC3	MF-90 (Gas & LP engines) (Vertical round body)	Weight: 6 lbs. Horizontal Length: 37" Outlet O.D.: 2 1/4" Outlet Length: 10 1/4" Shell Length: 14 1/2" Inlet I.D.: 2 1/8" Inlet Length: 11 1/2" Shell Diameter: 4 1/4"
MUF MF5 Replaces 1022401M1 Inlet Clamp: MC400 Rain Cap: RC9	MF-97 (Diesel) (1962-64) (Vertical round body)	Weight: 8 lbs. Horizontal Length: 24" Outlet O.D.: 4 Outlet Length: 3 1/4" Shell Length: 19" Inlet I.D.: 3 15/16" Inlet Length: 1 1/2" Shell Diameter: 6"
MUF MF6 Replaces 508825M94 539523M92 898535M91 Inlet Clamp: MC200 Outlet Clamp: CL200	MF-20, MF-30, MF-31, MF-32, MF-40B, & MF-50 (Gas & Diesel) MF-230, MF-240, MF-250 & MR-290 (Gas & Diesel Perkins engines) Note: MF290 to replace 898535M91, also use 898534M1 OEM tailpipe. (Horizontal round body)	Weight: 4 lbs. Horizontal Length: 32" Outlet O.D.: 2" Outlet Length: 12 1/2" Shell Length: 16 1/2" Inlet I.D.: 2" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF MF7 Replaces 505454M91 (Muffler) 181600M91 (Pipe)	MF-35, MH35 & TO35 ag. MF-202, 203, 204 & 205 (Gas and Diesel) Utility Tractors Note: Complete assembly includes muffler, inlet pipe and clamp. MF17 muffler is used in this assembly. MFE2 pipe is used in this assembly. Pipe has 3 bolt flange inlet.	Weight: 9 lbs. Horizontal Length: n/a Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 3 1/4"
MUF MF8 Replaces 184207M91 Rain Cap: RC0	TO-35 (Gas & Diesel) (1955-1957) Vertical one piece assembly	Weight: 9 lbs. Horizontal Length: n/a Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: 10 1/4" Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 3 1/4"

MUFFLERS

Massey Tractors

PART NO.	DESCRIPTION	SPECS.
MUF MF9 Replaces 184207M91 Rain Cap: RC0	TO-35 (Gas & Diesel) (1955-1957) For replacement muffler use FO11 	Weight: 9 lbs. Pipe Length: 17 1/2" Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: 10 1/2" Inlet I.D.: 1 3/4" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF MF10 Replaces 181867M91 Inlet Clamp: MC178 Rain Cap: RC2	MF-35 (1960-1964) - Gas & Diesel MF135 (1964-1974) - Gas & Diesel MF202, 203, 204, 205 - Gas & Diesel Utility Tractors Note: MF10 is used as both vertical & horizontal for these tractor applications. (Round body) 	Weight: 6 lbs. Horizontal Length: 34" Outlet O.D.: 2" Outlet Length: 14 1/2" Shell Length: 17" Inlet I.D.: 1 7/8" Inlet Length: 3" Shell Diameter: 4 1/4"
MUF MF11 Replaces 182609M91 Inlet Clamp: MC200 Outlet Clamp: MC112	Ferguson F-40 & MF-50 (1957-64) (Gas & LP engines) Note: Use for both horizontal & vertical applications. (Round body) 	Weight: 4 lbs. Horizontal Length: 18 1/2" Outlet O.D.: 1 3/8" Outlet Length: 2" Shell Length: 15 1/2" Inlet I.D.: 1 15/16" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MUF MF12 Replaces 184207M91 Inlet Clamp: MC200 Outlet Clamp: MC112	MF-50 & MR-65 (Gas engine) MF-302 & MF-304 (Gas engine) MF-302 & 304 (Gas engine) (Horizontal round body) 	Weight: 4 lbs. Horizontal Length: 18" Outlet O.D.: 1 3/8" Outlet Length: 2 1/2" Shell Length: 13 1/2" Inlet I.D.: 1 15/16" Inlet Length: 2" Shell Diameter: 3 1/4"
MUF MF13 Replaces 187184M1 Inlet Clamp: MC134 Outlet Clamp: MC134	MF-50 & MF-65 (Gas & Diesel) (57-64) Note: Vertical & horizontal MF50 Vertical for MF65 (Round body) 	Weight: 6 lbs. Horizontal Length: 34" Outlet O.D.: 1 3/4" Outlet Length: 11" Shell Length: 20" Inlet I.D.: 1 3/4" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF MF14 Replaces 32999A Inlet Clamp: MC212 Rain Cap: RC3	55, 55D, 55K & 555 Massey Harris - (1942-1957) (Vertical round body) 	Weight: 5 lbs. Horizontal Length: 21" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 14" Inlet I.D.: 2 3/8" Inlet Length: 2" Shell Diameter: 6"
MUF MF15 Replaces 32289A 767994M91 Inlet Clamp: MC212 Rain Cap: RC3	Massey Harris - (1942-1957) - Gas & Diesel 20, 20K, 22, 22K (exc. 1948), 30, 30K, 33, 333, 44, 44SPL, 44D, 44K, 44-6, 444, 81, 82, 101Jr. 101Sr. & 102Sr. (Horizontal round body) 	Weight: 4 lbs. Horizontal Length: 21" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 14" Inlet I.D.: 2 3/8" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF MF16 Replaces 505545M91	TO-20 & TO-30 Gas (1948-1957) Note: Pipe has flared inlet. Special clamp MC300 required. 	Weight: 7 lbs. Horizontal Length: 23" Outlet O.D.: 1 1/2" Outlet Length: Bent pipe Shell Length: n/a Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: 3 1/4"

PART NO.	DESCRIPTION	SPECS.
MUF MF17 Replaces 180364M91 505545M92 Inlet Clamp: MC112 Outlet Clamp: MC112	TE-20, TO-20 & TO-30 (1948-1954) TO-35 & MF-35 (1955-63) Gas & Diesel MF-135 (1964-1974) Gas & Diesel (Horizontal round body) 	Weight: 4 lbs. Horizontal Length: 34" Outlet O.D.: 1 1/2" Outlet Length: 8 1/2" Shell Length: 23" Inlet I.D.: 1 1/2" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MUF MF18 Replaces 184207M91 Rain Cap: RC0	TO-20 & TO-30 Gas (48-57) Note: Special clamp MC300 required. For replacement muffler use FO11. Pipe has flared inlet. Pipe is custom design. 2 piece assy. 	Weight: 8 lbs. Pipe Length: 17 1/2" Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: 10 1/2" Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: 3 1/4"
MUF MF19 Replaces 184207M91 Rain Cap: RC0	TO-20 & TO-30 Gas (48-57) Note: Special clamp MC300 required. Pipe has flared inlet. Pipe is custom design. 1 piece assy. 	Weight: 8 lbs. Pipe Length: Bent pipe Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: 10 1/4" Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: 3 1/4"
MUF MF20 Custom Design Inlet Clamp: MC300	TO-20 & TO-30 Gas Vertical exhaust Note: Complete 2 piece unit for use without muffler. 2" Flare 	Weight: 4 lbs. Horizontal Length: 13" Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: 29" Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: n/a
MUF MF21 Replaces 180364M91 505545M92 Inlet Clamp: MC112 Outlet Clamp: MC112	MH-35, MF-35 & TO-35 (Horizontal round body) 	Weight: 4 lbs. Horizontal Length: 34" Outlet O.D.: 1 1/2" Outlet Length: 11" Shell Length: 23" Inlet I.D.: 1 1/2" Inlet Length: 2 3/4" Shell Diameter: 3 1/4"
MUF MF22 Replaces 505404M91 539525M91 Inlet Clamp: MC134	MF-150 (Gas & Diesel)- early s/n machines. (Vertical round body) 	Weight: 7 lbs. Horizontal Length: 37" Outlet O.D.: 1 1/2" Outlet Length: 10" Shell Length: 17" Inlet I.D.: 1 3/4" Inlet Length: 10" Shell Diameter: 3 1/4"
MUF MF23 Replaces 194431M91 Inlet Clamp: MC214	MF-165, MF-175 & MF-180 (Gas & Diesel) (Perkins 4-236 & 4-248 c.i.d.) Note: This muffler is for tractors with loader. (See MF30 also) (Vertical round body) 	Weight: 7 lbs. Horizontal Length: 40" Outlet O.D.: Bent pipe Outlet Length: 13" Shell Length: 16 1/2" Inlet I.D.: 2 1/4" Inlet Length: 10" Shell Diameter: 4 1/4"
MUF MF24 Replaces 509939M91 513563M92 523394M95 Inlet Clamp: MC234 Rain Cap: RC7	MF-70 (gas & Diesel) MF-1080 (4 cyl. Gas engine) MF-1100 (6 cyl. Gas engine) Note: Also available for this application is an oval body muffler - see MF29 or MF23. For tractor with loader and space is limited. (Vertical round body) 	Weight: 8 lbs. Horizontal Length: 32" Outlet O.D.: 2 3/4" Outlet Length: 5 1/2" Shell Length: 17" Inlet I.D.: 2 3/4" Inlet Length: 9 1/2" Shell Diameter: 5 1/2"

MUFFLERS

Massey Tractors


PART NO.	DESCRIPTION	SPECS.
MUF MF25 Replaces 510634M91 Inlet Clamp: MC312 Rain Cap: RC8	MF-1100 (354 Diesel) MF-1130 (T-354 Diesel) Note: Also available for this application is an oval body muffler - see MF28. (Vertical round body)	Weight: 10 lbs. Horizontal Length: 32" Outlet O.D.: 3 1/2" Outlet Length: 2 3/4" Shell Length: 20 1/8" Inlet I.D.: 3 7/16" Inlet Length: 9" Shell Diameter: 6"
MUF MF26 Replaces 521017M91	MF-10 & MF-12 (using Kohler 10 & 12 hp 1 cyl. engine) (Horizontal round body)	Weight: 3 lbs. Horizontal Length: 9" Outlet O.D.: 1" Outlet Length: 1/2" Shell Length: 5 1/2" Inlet I.D.: 1" Inlet Length: 3 1/4" Shell Diameter: 4 1/4"
MUF MF27 Custom Design Rain Cap: RC2	MF-65 (w/Perkins diesel) Note: Outlet I.D. fits 2" O.D. pipe.	Weight: 7 lbs. Pipe Length: 17 1/2" Outlet O.D.: 2" Outlet Length: 1/2" Shell Length: 12" Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 4 1/4"
MUF MF28 Replaces 522421M92 530689M91 Inlet Clamp: MC312 Rain Cap: RC8	MF-1100 (354 Dsl); MF-1130 (T-354 Dsl) Note: Also available for this application is a round body muffler - see MF25	Weight: 16 lbs. Pipe Length: 34 1/2" Outlet O.D.: 3 1/4" Outlet Length: 4" Shell Length: 23 1/8" Inlet I.D.: 3 1/4" Inlet Length: 7 1/2" Shell Diameter: 6" x 9 1/2"
MUF MF29 Replaces 522422M92 530690M91 Inlet Clamp: MC234 Rain Cap: RC7	MF-70 & 80 Gas & Diesel MF-1080 (4 cyl. Gas & Diesel engine) MF-1100 (6 cyl. Gas engine) Note: Also available for this application is a round body muffler MF24.	Weight: 11 lbs. Pipe Length: 32" Outlet O.D.: 2 3/4" Outlet Length: 6 1/2" Shell Length: 16" Inlet I.D.: 2 3/4" Inlet Length: 10" Shell Diameter: 5" x 11"
MUF MF30 Replaces 523394M95 Inlet Clamp: MC134	MF-165, MF-175 & MF-180 (Gas & Diesel) (Perkins 4-236 & 4-248 c.i.d. Note: This muffler is for tractors without loader. See MF23. (Vertical round body)	Weight: 11 lbs. Pipe Length: 32" Outlet O.D.: 2 3/4" Outlet Length: 6 1/2" Shell Length: 16" Inlet I.D.: 2 3/4" Inlet Length: 10" Shell Diameter: 5" x 11"
MUF MF31 Replaces 522589M91 539523M92 539525M91 890476M92 Inlet Clamp: MC134	MF-135 (U.K.) & MF-150 (Gas & Diesel) (using Perkins engines) MF-230, 240, 250 (Gas & Diesel) MF-245, 255, 265, 275 (Diesel) Note: See MFE9 (Horizontal round body)	Weight: 5 lbs. Pipe Length: 39" Outlet O.D.: 1 3/4" Outlet Length: 12" Shell Length: 15" Inlet I.D.: 1 3/4" Inlet Length: 12" Shell Diameter: 4 1/4"
MUF MF32 Replaces 505545M91	MF-35 (Diesel) Pipe has 3 bolt flange inlet. Note: MFE12 pipe is used in this assembly. MF17 muffler is used in this assembly, See MF17	Weight: 9 lbs. Pipe Length: n/a Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 3 1/4"

Massey Tractors


PART NO.	DESCRIPTION	SPECS.
MUF MF33 Replaces 525196M1 525193M1 Inlet Clamp: MC212 Rain Cap: RC4	MF-1500 & MF-1800 (late s/n - Cat. Diesel) MF-1505 & MF-1805 (Cat. Diesel) Note: Muffler has dual inlet. See MF25. (Vertical round body)	Weight: 25 lbs. Horizontal Length: 41" Outlet O.D.: 3" Outlet Length: 3" Shell Length: 36" Inlet I.D.: 2 1/2" Inlet Length: 2 3/4" Shell Diameter: 9"
MUF MF34 Replaces 181867M91 Rain Cap: RC1	TE-20, TO-35 & MF-35 (Perkins dsl) MF-135 (Gas) Pipe has 3 bolt base plate.	Weight: 7 lbs. Horizontal Length: n/a Outlet O.D.: 1 1/2" Outlet Length: n/a Shell Length: 12" Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 3 1/4"
MUF MF35 Replaces 187184M91 Rain Cap: RC1	50, 65 Massey Diesel MF-135 (Perkins Gas & Diesel) Pipe has 3 bolt flange inlet. Muffler not available separately.	Weight: 7 lbs. Horizontal Length: n/a Outlet O.D.: 1 3/4" Outlet Length: n/a Shell Length: 12" Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 4 1/4"
MUF MF36 Replaces 522589M91 Muffler 522584M91 Pipe	MF-135 (Perkins Gas & Diesel) Note: MFE9 pipe and MF31 muffler is used in this assembly. Pipe has 3 bolt flange inlet.	Weight: 9 lbs. Horizontal Length: n/a Outlet O.D.: 1 3/4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: n/a Inlet Length: n/a Shell Diameter: 4 1/4"
MUF MF37 Replaces 529390M94 539950M92 Inlet Clamp: MC234 Rain Cap: RC7	MF-1085 (Diesel) (Vertical oval body)	Weight: 12 lbs. Horizontal Length: 24" Outlet O.D.: 2 3/4" Outlet Length: 4 1/2" Shell Length: 17 1/2" Inlet I.D.: 2 3/4" Inlet Length: 2 1/2" Shell Diameter: 6" x 10"
MUF MF38 Replaces 578090M92 535389M91 998669M91 Inlet Clamp: MC214	MF-230, MF-235, MF-245, MF-255, MF-265, MF-275 (Gas & Diesel engine) Note: MF38 has straight outlet pipe. To use as replacement for 535389M91 & 998669M91 also order EE3 extender pipe. (Vertical oval body)	Weight: 11 lbs. Horizontal Length: 34" Outlet O.D.: 2" Outlet Length: 8 1/2" Shell Length: 23" Inlet I.D.: 2 1/8" Inlet Length: 2 3/4" Shell Diameter: 4" x 8"
MUF MF39 Replaces 528068M92 Inlet Clamp: MC312 Rain Cap: RC8	MF-1105 & MF-1135 (Diesel). (Vertical oval body)	Weight: 15 lbs. Horizontal Length: 28" Outlet O.D.: 3 1/2" Outlet Length: 3 1/2" Shell Length: 22" Inlet I.D.: 3 7/16" Inlet Length: 3" Shell Diameter: 6" x 10"

MUFFLERS

Massey Tractors-Custom Pipes

PART NO.	DESCRIPTION	SPECS.
MUF MFE1 Replaces 673511M91 828194M91 Outlet Clamp: MC134	MF65 (Diesel) Note: Use with MF1 muffler. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 34" Outlet O.D.: 1 3/4" Outlet Length: n/a Vertical Length: 12" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE2 Replaces 181600M91 181600M92 Outlet Clamp: MC112	MH35, MF-35 & TO-30 Gas. Note: Also see complete system MF7. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 20" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 20" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE3 Replaces 508826M92 Outlet Clamp: MC200	MF150 (Gas) Note: Use with MF22 Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 32" Outlet O.D.: 2" Outlet Length: n/a Vertical Length: 11" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE4 Replaces 182614M1 Inlet Clamp: MC112	MF40, MF50, & MH50 (Gas) Note: Use with MF11 muffler. Horizontal exhaust. 	Weight: 3 lbs. Horizontal Length: 57" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 20" Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: n/a
MUF MFE5 Replaces 182697M1 Inlet Clamp: MC138	MF40 (Gas) Note: Use with MF11 muffler. Vertical exhaust. 	Weight: 3 lbs. Horizontal Length: 31" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 8" Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: n/a
MUF MFE6 Replaces 184209M2 Inlet Clamp: MC112	MF65 (Gas) Note: Use with MF12 muffler. Horizontal exhaust. 	Weight: 5 lbs. Horizontal Length: 34" Outlet O.D.: 1 1/4" Outlet Length: n/a Vertical Length: 20" Inlet I.D.: Clamp on Inlet Length: n/a Shell Diameter: n/a
MUF MFE7 Replaces 181460M1 Inlet Clamp: MC300	TO20 to TO30 Gas Note: Use with MF17 & MF21 mufflers. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 23" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 18" Inlet I.D.: 1 3/8" Inlet Length: n/a Shell Diameter: n/a

Massey Tractors-Custom Pipes

PART NO.	DESCRIPTION	SPECS.
MUF MFE8 Replaces 508523M92 Outlet Clamp: MC200	MF150 (Gas & Diesel) (equipped with Generator not Alternator) Note: Use with MF6 muffler. Horizontal exhaust. 	Weight: 5 lbs. Horizontal Length: 32" Outlet O.D.: 2" Outlet Length: n/a Vertical Length: 11" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE9 Replaces 522584M92 522584N91 Outlet Clamp: MC134	MF135 (late s/n) Perkins 3 cyl. Gas & Diesel. Note: Use with MF31 muffler. See complete system MF36. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 31 1/2" Outlet O.D.: 1 3/4" Outlet Length: n/a Vertical Length: 12" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE10 Replaces 194268M92 Inlet Clamp: MC134	MF135 (Gas) - 4 cylinder Continental Note: Not for use with MF31 muffler. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 31" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 13" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE11 Replaces 507518M92 Outlet Clamp: MC112	MF135 (early s/n) Perkins 3 cyl. Gas & Diesel. Note: Use with MF17 & MF21 mufflers. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 24" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 11 1/2" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE12 Replaces 189678M91 Outlet Clamp: MC112	MF35 Gas & Diesel engine Note: Use with MF17 & MF21 mufflers. See complete system MF32. Horizontal exhaust. 	Weight: 4 lbs. Horizontal Length: 26" Outlet O.D.: 1 1/2" Outlet Length: n/a Vertical Length: 22" Inlet I.D.: 3 bolt Inlet Length: n/a Shell Diameter: n/a
MUF MFE102 Replaces 235448M1 Inlet Clamp: MC214	Used on MF300 combine (Gas engine) Pipe assembly. Horizontal Bent outlet 	Weight: 5 lbs. Horizontal Length: 40 1/2" Outlet O.D.: 2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 2 1/8" Inlet Length: n/a Shell Diameter: n/a
MUF MFE103 Replaces 239433M1 Inlet Clamp: MC212	Used on MF300 combine (Gas engine) Pipe assembly. 	Weight: 3 lbs. Horizontal Length: 23" Outlet O.D.: 2 1/4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 2 1/8" Inlet Length: 12" Shell Diameter: n/a

MUFFLERS

Massey Combines

PART NO.	DESCRIPTION	SPECS.
MUF MF101 Replaces 220480M1 203059M2 Inlet Clamp: MC212	Muffler (fits models); MF26, 27, 28L, 60, 70, 72, 80, 82, & 92 (to s/n 157119) Note: Use with MFE1 pipe. (Vertical round body)	Weight: 5 lbs. Horizontal Length: 21" Outlet O.D.: 1 7/8" Outlet Length: 3 1/2" Shell Length: 12" Inlet I.D.: 2 3/8" Inlet Length: 5 1/2" Shell Diameter: 4 1/4"
MUF MF103 Replaces 220849M91 Inlet Clamp: MC212	MF90, MF92 & Super 92 (Gas engine) (Horizontal round body)	Weight: 7 lbs. Horizontal Length: 31" Outlet O.D.: 2" Outlet Length: 11" Shell Length: 12" Inlet I.D.: 2 3/8" Inlet Length: 5 1/2" Shell Diameter: 4 1/4"

Minneapolis Moline Tractors

PART NO.	DESCRIPTION	SPECS.
MUF MM1 Replaces 10A759A 10A759B Inlet Clamp: MC212	R, ZA, ZAE, ZAS & ZAU (Horizontal round body)	Weight: 5 lbs. Horizontal Length: 20" Outlet O.D.: 2 1/2" Outlet Length: 8 1/2" Shell Length: 10 1/2" Inlet I.D.: 2 1/2" Inlet Length: 2 1/2" Shell Diameter: 5"
MUF MM2 Replaces 10A8693 Inlet Clamp: MC214 Rain Cap: RC1	335 (Gas) Universal & Utility (Horizontal & Vertical round body)	Weight: 6 lbs. Horizontal Length: 17" Outlet O.D.: 1 3/4" Outlet Length: 2 1/4" Shell Length: 12" Inlet I.D.: 2 1/4" Inlet Length: 2 1/2" Shell Diameter: 3 1/4"
MUF MM3 Replaces 10A7889 Inlet Clamp: MC214 Rain Cap: RC5	445 (All) Universal & Utility (Vertical round body)	Weight: 6 lbs. Horizontal Length: 17" Outlet O.D.: 2 1/4" Outlet Length: 2 1/4" Shell Length: 12" Inlet I.D.: 2 1/4" Inlet Length: 2 1/2" Shell Diameter: 4 1/4"
MUF MM4 Replaces KE846 10A12633 Inlet Clamp: MC234 Rain Cap: RC7	Z (early), U (all), G, G-6/G-VI 5 Star & Jet Star (late) (Vertical round body)	Weight: 7 lbs. Horizontal Length: 26" Outlet O.D.: 2 3/4" Outlet Length: 6" Shell Length: 15" Inlet I.D.: 2 3/4" Inlet Length: 4 1/2" Shell Diameter: 4 1/4"
MUF MM5 Replaces 10A14337 Inlet Clamp: MC178 Rain Cap: RC2	Jet Star (early s/n's) (Vertical round body)	Weight: 5 lbs. Horizontal Length: 26" Outlet O.D.: 2" Outlet Length: 2 3/4" Shell Length: 12 1/2" Inlet I.D.: 1 7/8" Inlet Length: 10 1/2" Shell Diameter: 3 1/4"

Minneapolis-Moline Tractors

PART NO.	DESCRIPTION	SPECS.
MUF MM6 Replaces 10A1444 Inlet Clamp: MC178 Rain Cap: RC2	Jet star 3 (Gas & Diesel) 4 Star and 4 Star (Super) (Vertical round body)	Weight: 6 lbs. Horizontal Length: 26" Outlet O.D.: 2" Outlet Length: 2 1/4" Shell Length: 15" Inlet I.D.: 1 7/8" Inlet Length: 9" Shell Diameter: 4 1/4"
MUF MM7 Replaces 10A15416 10A16033 10A23891 Inlet Clamp: MC258 Rain Cap: RC7	M-5, M602, M604 & M670 (Vertical round body)	Weight: 7 lbs. Horizontal Length: 32" Outlet O.D.: 2 3/4" Outlet Length: 3 1/2" Shell Length: 17" Inlet I.D.: 2 5/8" Inlet Length: 11 1/2" Shell Diameter: 5 1/2"
MUF MM8 Replaces 10A17881 Inlet Clamp: MC400 Rain Cap: RC9	G705, G706 & G1000 Note: Uses MM8A extension pipe (Vertical round body)	Weight: 11 lbs. Horizontal Length: 24" Outlet O.D.: 4" Outlet Length: 3 1/2" Shell Length: 19" Inlet I.D.: 3 15/16" Inlet Length: 1 1/2" Shell Diameter: 6"
MUF MM8A Custom Design Inlet Clamp: MC400 Rain Cap: RC9	G705, G706 & G1000 Note: Extension pipe with clamp See MM8 muffler.	Weight: 7 lbs. Horizontal Length: 24" Outlet O.D.: 4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 4" Inlet Length: n/a Shell Diameter: n/a
MUF MM10 Replaces 10A4450 Inlet Clamp: MC212	Uni-tractor C1-14 (1951-1960) (Vertical round body)	Weight: 5 lbs. Horizontal Length: 21" Outlet O.D.: 2" Outlet Length: 5 1/2" Shell Length: 17" Inlet I.D.: 2 1/2" Inlet Length: 3 1/2" Shell Diameter: 4 1/4"
MUF MM11 Replaces 10A15865 Inlet Clamp: MC200	Uni-tractor B1- 19 (1960 & up) (Horizontal round body)	Weight: 7 lbs. Horizontal Length: 20" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 16" Inlet I.D.: 2" Inlet Length: 1 3/4" Shell Diameter: 4 1/4"

Minneapolis-Moline Combines

PART NO.	DESCRIPTION	SPECS.
MUF MM101 Replaces 1130270 Inlet Clamp: MC212	Combine - 2890, 3490, 3496, 4290 & 4296 (all Gas) (Vertical round body)	Weight: 6 lbs. Horizontal Length: 18" Outlet O.D.: 2 1/2" Outlet Length: 3 1/2" Shell Length: 17" Inlet I.D.: 2 3/4" Inlet Length: 2 1/2" Shell Diameter: 6"

MUFFLERS

Oliver Tractors

PART NO.	DESCRIPTION	SPECS.
MUF OL1 Replaces B-452A Inlet Clamp: MC200 Outlet Clamp: MC214	Oliver 70 (1938 & up) - not for Hart Paar model 70. (Horizontal round body)	Weight: 4 lbs. Horizontal Length: 16" Outlet O.D.: 2 1/8" Outlet Length: 1 1/4" Shell Length: 12" Inlet I.D.: 1 15/16" Inlet Length: 1 1/4" Shell Diameter: 4 1/4"
MUF OL2 Replaces L-452 Inlet Clamp: MC212 Outlet Clamp: MC134	66, 77 (s/n 320001-6502) Note: Underhood muffler. See OL4A pipe. (Vertical round body)	Weight: 6 lbs. Horizontal Length: 10" Outlet O.D.: 1 3/4" Outlet Length: 1 1/4" Shell Length: 4" Inlet I.D.: 2 3/8" Inlet Length: 2 1/4" Shell Diameter: 6"
MUF OL3 Replaces KA-452B Inlet Clamp: MC212 Rain Cap: RC3	Super 66, 77 & 88 (Gas & diesel) Note: Can replace OL2 and OL4 mufflers; must enlarge hole in hood). (Vertical round body)	Weight: 4 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 5" Shell Length: 20" Inlet I.D.: 2 3/8" Inlet Length: 4" Shell Diameter: 3 1/4"
MUF OL4 Replaces K-452 Inlet Clamp: MC212 Outlet Clamp: MC134	77 & 88 (Diesel) Note: Underhood muffler. See OL4A pipe (Vertical round body)	Weight: 6 lbs. Horizontal Length: 10" Outlet O.D.: 1 3/4" Outlet Length: 1 1/4" Shell Length: 6 1/2" Inlet I.D.: 2 3/8" Inlet Length: 2 1/4" Shell Diameter: 6"
MUF OL4A Replaces K-421 Inlet Clamp: MC134 Rain Cap: RC1	66, 77, 88 (Gas & Diesel) Note: Extension pipe - Use with OL2 & OL4 underhood mufflers.	Weight: 4 lbs. Horizontal Length: 24" Outlet O.D.: 1 3/4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 3/4" Inlet Length: n/a Shell Diameter: n/a
MUF OL5 Replaces 161386A Inlet Clamp: MC200 Outlet Clamp: MC200	Super 55 & 550 (Gas & Diesel) Note: Extension pipe OL5A also available. (Horizontal round body)	Weight: 4 lbs. Horizontal Length: 15 1/2" Outlet O.D.: 1 7/8" Outlet Length: 2" Shell Length: 12 1/2" Inlet I.D.: 1 15/16" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF OL5A Replaces K-421 102079A Inlet Clamp: MC200 Rain Cap: RC2	Super 55 & 550 (Gas & Diesel) Note: Extension pipe OL5 also available.	Weight: 7 lbs. Horizontal Length: 35 1/2" Outlet O.D.: 2" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 1 7/8" Inlet Length: n/a Shell Diameter: n/a

Oliver Tractors

PART NO.	DESCRIPTION	SPECS.
MUF OL6 Replaces 100694A 155623A 164079A Inlet Clamp: MC212 Rain Cap: RC3	770, 880, 1600 (Gas & Diesel) 1650 (Gas) also 1550 (Gas & Diesel) (Vertical round body)	Weight: 7 lbs. Horizontal Length: 29" Outlet O.D.: 2 1/2" Outlet Length: 4 1/4" Shell Length: 20" Inlet I.D.: 2 3/8" Inlet Length: 4 1/4" Shell Diameter: 4 1/4"
MUF OL7 Replaces 104764A 155980A 164080A Inlet Clamp: MC300 Rain Cap: RC3	1650 (Diesel), 1750, 1800 & 1850 (Gas, LP-Gas & Diesel) (Vertical round body w/heat shield)	Weight: 9 lbs. Horizontal Length: 34" Outlet O.D.: 2 1/2" Outlet Length: 6" Shell Length: 23" Inlet I.D.: 2 15/16" Inlet Length: 4 1/2" Shell Diameter: 6"
MUF OL8 Replaces 155981A Inlet Clamp: MC312 Rain Cap: RC4	1900 & 1950 (GM Diesel) s/n 124396 & up (Vertical round body)	Weight: 10 lbs. Horizontal Length: 27" Outlet O.D.: 3" Outlet Length: 3 1/4" Shell Length: 19" Inlet I.D.: 3 1/2" Inlet Length: 4 1/2" Shell Diameter: 6"
MUF OL11 Replaces 30-3040828 Inlet Clamp: MC300 Rain Cap: RC3	1650 (Diesel), 1750 & 1850 (Gas & Diesel) 1655, 1755, (Gas & Diesel) 1855 (Gas) (Vertical oval body)	Weight: 15 lbs. Horizontal Length: 32" Outlet O.D.: 2 1/2" Outlet Length: 4 1/4" Shell Length: 23" Inlet I.D.: 2 15/16" Inlet Length: 5 1/2" Shell Diameter: 5 1/2" x 9 1/2"
MUF OL12 Replaces 164961A Inlet Clamp: MC212 Outlet Clamp: MC134	1850, 1950T, 2050 & 2150 (Diesel) Also 1955 (Diesel) (Vertical oval body)	Weight: 16 lbs. Horizontal Length: 36" Outlet O.D.: 3 1/2" Outlet Length: 8" Shell Length: 23" Inlet I.D.: 3 1/4" Inlet Length: 5 1/2" Shell Diameter: 5 1/2" x 9 1/2"
MUF OL13 Replaces 10A31300 Inlet Clamp: MC400 Outlet Clamp: RC7	2155 & 2655 (diesel) Note: This muffler also used on M-M G-1350 & G-1000 (late models) (Vertical oval body)	Weight: 17 lbs. Horizontal Length: 32" Outlet O.D.: 2 3/4" Outlet Length: 3 1/2" Shell Length: 23" Inlet I.D.: 3 15/16" Inlet Length: 5 1/4" Shell Diameter: 5 1/2" x 9 1/2"
MUF OL101 Replaces 404791D Inlet Clamp: MC200	Combine - Model 25 (Gas - Chrysler 6 cyl) (Horizontal round body)	Weight: 5 lbs. Horizontal Length: 18" Outlet O.D.: 1 15/16" Outlet Length: 2 1/4" Shell Length: 16" Inlet I.D.: 1 15/16" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF OL102 Replaces 1130270 Inlet Clamp: MC212	Combine - 431, 435, 525, 535 & 545 (Vertical round body)	Weight: 6 lbs. Horizontal Length: 18" Outlet O.D.: 2 1/2" Outlet Length: 2" Shell Length: 14" Inlet I.D.: 2" Inlet Length: 4" Shell Diameter: 6"

MUFFLERS

Steiger Tractors

PART NO.	DESCRIPTION	SPECS.
MUF ST1 Replaces 07-712 Inlet Clamp: MC312 Rain Cap: RC4	400 Steiger "Bearcat" 440 Steiger built for Allis Chalmers (Horizontal round body)	Weight: 17 lbs. Horizontal Length: 25" Outlet O.D.: 3" Outlet Length: 1 3/4" Shell Length: 22" Inlet I.D.: 3 1/2" Inlet Length: 1 3/4" Shell Diameter: 9"

Versatile Tractors

PART NO.	DESCRIPTION	SPECS.
MUF FO40 Replaces 09702857 Inlet Clamp: MC234	9030 E, 9030V (1990-1997) Bi-Directional tractor (Vertical oval body)	Weight: 13 lbs. Horizontal Length: 43" Outlet O.D.: 2 3/4" Outlet Length: Bent pipe Shell Length: 18" Inlet I.D.: 3" Inlet Length: 2 1/4" Shell Diameter: 4" x 9"

Versatile Tractors

PART NO.	DESCRIPTION	SPECS.
MUF VT1 Replaces 606T123-A Inlet Clamp: MC212 Rain Cap: RC9	118, 145 4WD articulated tractor. (Diesel) - both 6 cyl. & 8 cyl. engines Note: Muffler has double inlet tubes. (Vertical round body)	Weight: 26 lbs. Horizontal Length: 43" Outlet O.D.: 3 7/8" Outlet Length: 5" Shell Length: 36" Inlet I.D.: 2 1/2" Inlet Length: 3 1/4" Shell Diameter: 9"
MUF VT2 Replaces TR17717 Inlet Clamp: MC212 Rain Cap: RC4	300 Hydro-Mech (Dsl) Cummins V-6 cyl. engine Note: Muffler has double inlet tubes. (Vertical round body)	Weight: 26 lbs. Horizontal Length: 43" Outlet O.D.: 3" Outlet Length: 6" Shell Length: 26" Inlet I.D.: 2 1/2" Inlet Length: 3 1/4" Shell Diameter: 9"
MUF VT3 Replaces 260424 Inlet Clamp: MC200 Rain Cap: RC2	400 Swather (to 1981) - Gas (Vertical round body)	Weight: 4 lbs. Horizontal Length: 17" Outlet O.D.: 2" Outlet Length: 2" Shell Length: 12 1/2" Inlet I.D.: 2" Inlet Length: 2 1/4" Shell Diameter: 4 1/4"
MUF VT4 Replaces 36460 Inlet Clamp: MC200	400 Swather (1981 & up) - (Gas) and 4400 (Gas) Note: Muffler has side inlet (Horizontal round body)	Weight: 10 lbs. Horizontal Length: 26" Outlet O.D.: 2" Outlet Length: 2 3/4" Shell Length: 23 1/2" Inlet I.D.: 2" Inlet Length: 2" Shell Diameter: 5 1/2"
MUF VT5 Replaces 65434 Inlet Clamp: MC212 Rain Cap: RC3	4400 Swather (Diesel) (Vertical oval body)	Weight: 9 lbs. Horizontal Length: 19" Outlet O.D.: 2 1/2" Outlet Length: 3" Shell Length: 13" Inlet I.D.: 2 1/2" Inlet Length: 3 1/2" Shell Diameter: 9" x 4 1/2"
MUF VT6 Replaces V108431 Inlet Clamp: MC500 Rain Cap: RC11	750, 800 - 1975 825, 835, 850 - 1976 - 77 855, 875, 895 Note: Muffler has side inlet tube. Also has a straight 1 1/4" dia. Aspirator tube.(Vertical oval body)	Weight: 40 lbs. Horizontal Length: 46" Outlet O.D.: 5" Outlet Length: 5 1/2" Shell Length: 40 1/2" Inlet I.D.: 5" Inlet Length: 2" Shell Diameter: 8" x 11 1/2"
MUF FO39 Replaces 09700143 Inlet Clamp: MC212	256 V (1984-1985) Versatile with Cummins/Ford engine 276 II, 276V (Vertical oval body)	Weight: 12 lbs. Horizontal Length: 33 1/2" Outlet O.D.: 2 3/4" Outlet Length: Bent pipe Shell Length: 18" Inlet I.D.: 3" Inlet Length: 2 1/4" Shell Diameter: 4" x 9"

Versatile Extender

PART NO.	DESCRIPTION	SPECS.
MUF VTE1 Custom Design Inlet Clamp: MC400 Rain Cap: RC9	118, 145 4WD articulated tractor (Diesel) - both 6 cyl. & 8 cyl. engines. Note: Extension pipe. Use with VT1 muffler.	Weight: 9 lbs. Horizontal Length: 47" Outlet O.D.: 4" Outlet Length: n/a Shell Length: n/a Inlet I.D.: 3 7/8" Inlet Length: n/a Shell Diameter: n/a

White Tractors

PART NO.	DESCRIPTION	SPECS.
MUF WT1 Replaces 30-3322734 Inlet Clamp: MC312 Rain cap: RC8	2-105 & 2-135 (Diesel) Note: Muffler has no aspirator tube. (Vertical oval body)	Weight: 17 lbs. Horizontal Length: 37 1/2" Outlet O.D.: 3 1/2" Outlet Length: 5" Shell Length: 27" Inlet I.D.: 3 7/16" Inlet Length: 6 1/2" Shell Diameter: 4 3/4" x 8"
MUF WT2 Replaces 30-3322284 30-3387712 Inlet Clamp: MC312 Rain cap: RC8	2-105 (Diesel) Note: Muffler has a straight 1 1/2" O.D. aspirator tube. (Vertical oval body)	Weight: 18 lbs. Horizontal Length: 37 1/2" Outlet O.D.: 3 1/2" Outlet Length: 5" Shell Length: 27" Inlet I.D.: 3 7/16" Inlet Length: 6 1/2" Shell Diameter: 4 3/4" x 8"
MUF WT3 Replaces 30-3364178 30-3322742 Inlet Clamp: MC312 Rain cap: RC9	2-135 (Diesel) Note: Muffler has a straight 1 1/2" O.D. aspirator tube. (Vertical oval body)	Weight: 18 lbs. Horizontal Length: 37 1/2" Outlet O.D.: 4" Outlet Length: 5" Shell Length: 27" Inlet I.D.: 3 7/16" Inlet Length: 6 1/2" Shell Diameter: 4 3/4" x 8"
MUF AC28 Replaces 701444	White New Idea Power Units 701, 702D, 703, 704, 705, 706 (1971 thru 1974) (Vertical round body)	Weight: 4 lbs. Horizontal Length: 18 3/4" Outlet O.D.: 2 1/8" Outlet Length: 2" Shell Length: 13" Inlet I.D.: 2 1/4" Inlet Length: 3" Shell Diameter: 3 1/4"

MUFFLERS

White Combine

PART NO.	DESCRIPTION	SPECS.
MUF WT101 Replaces 31-1685010 Inlet Clamp: MC400 Outlet Clamp: MC314	8700, 8800 & 8900 (Vertical round body)	Weight: 5 lbs. Horizontal Length: 14 1/2" Outlet O.D.: 3 1/8" Outlet Length: 2 3/4" Shell Length: 7 1/2" Inlet I.D.: 3" Inlet Length: 5" Shell Diameter: 7"

Wisconsin Motors

Wisconsin Motors

PART NO.	DESCRIPTION	SPECS.
MUF WIS7 Replaces WD-47 Custom Design Inlet Clamp: MC200	VE4D, VF4D, VG4D, VH4DM & VP4D (4 cyl) (Horizontal round body)	Weight: 5 lbs. Horizontal Length: 18" Outlet O.D.: 2 1/4" Outlet Length: 2 1/4" Shell Length: 16" Inlet I.D.: 1 15/16" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF WIS8 Replaces WD-58A	Engine models: V460D, V461D, V465D Note: Muffler has two outlets. (Vertical round body)	Weight: 5 lbs. Horizontal Length: 12" Outlet O.D.: 1 3/4" Outlet Length: 1/2" Shell Length: 5 1/2" Inlet I.D.: 2 3/8" Inlet Length: 1 3/4" Shell Diameter: 7 1/2"

PART NO.	DESCRIPTION	SPECS.
MUF WIS1 Replaces WD-58 WD-17 Inlet Clamp: MC200 Rain Cap: RC3	Engine models: V460D, V461D, V465D Note: Includes muffler, adapter and clamp. Vertical round body. Muffler is painted silver. Adapter and clamp are plain finish. (Vertical round body)	Weight: 5 lbs. Horizontal Length: 12" Outlet O.D.: 2 1/2" Outlet Length: 3 1/2" Shell Length: 7 1/4" Inlet I.D.: 2 3/8" Inlet Length: 2 1/4" Shell Diameter: 6"
MUF WIS2 Replaces WD-26 Inlet Clamp: MC158 Rain Cap: RC1	Engine models: A, AA, AB, ABM, VE, VEE Note: Single & two cylinder air cooled engines. (Vertical round body)	Weight: 4 lbs. Horizontal Length: 17" Outlet O.D.: 1 3/4" Outlet Length: 2" Shell Length: 12 1/2" Inlet I.D.: 1 5/8" Inlet Length: 2 1/4" Shell Diameter: 3 1/4"
MUF WIS3 Replaces WD-76 Inlet Clamp: MC212	Engine models: V460D, V461D, V465D (Horizontal round body)	Weight: 6 lbs. Horizontal Length: 20" Outlet O.D.: 2" Outlet Length: 4" Shell Length: 16" Inlet I.D.: 2 3/8" Inlet Length: 2 1/4" Shell Diameter: 4 1/4"
MUF WIS4 Replaces WD-98 Custom Design	T, THD, THDM, TJD (2 CYL), V, VEE, A, VE4, VF4, VH4, VH4D (4 CYL). (Horizontal round body)	Weight: 5 lbs. Horizontal Length: 20" Outlet O.D.: 1 3/4" Outlet Length: 4" Shell Length: 15 1/2" Inlet I.D.: 1 11/16" Inlet Length: 2" Shell Diameter: 4 1/4"
MUF WIS5 Replaces WD-98 Custom Design	T, THD, THDM, TJD (2 CYL), V, VEE, A, VE4, VF4, VH4, VH4D (4 CYL). Note: NPTF pipe thread inlet. Fits 1 1/4" pipe.	Weight: 2 lbs. Horizontal Length: 6" Outlet O.D.: Vent Outlet Length: n/a Shell Length: 2" Inlet I.D.: 1 1/4" Inlet Length: n/a Shell Diameter: 6"
MUF WIS6 Replaces WD-47	Engine models: VE4D, VF4D, VF4D, VH4DM & VP4D (4 cyl) Note: NPTF pipe thread inlet. Fits 1 1/2" pipe. (Vertical flat body)	Weight: 2 lbs. Horizontal Length: 6" Outlet O.D.: Vent Outlet Length: n/a Shell Length: 2" Inlet I.D.: 1 1/2" Inlet Length: n/a Shell Diameter: 6"

PART NO.	DESCRIPTION	SPECS.
MUF YM1 Replaces 721250-13700	YM1100/1100D, YM1300/1300D, YM1301/1301D, YM135/135D, YM140/140D, YM1401/1401D, YM147/147D, YM1500/1500D, YM1502/1502D, YM1510/1510D, YM155/155D, YM1600, 1600D, YM1601/1601D, YM1602/1602D, YM1610/1610D, YM165/165D, YM169/169D, YM1700/1700D, YM1702/1702D, YM1720, 1720D, YM1802/1802D, YM1810/1810D, YM1820/1820D, YM186/186D, YM187/187D, YM1900/1900D, YM195/195D, YM2000/2000D, YM2001/2001D, YM2002/2002D, YM2010/2010D, YM2020/2020D, YM220/220D, YM2200/2200D, YM2202/2202D, YM2210/2210D, YM2220/2220D, YM226/226D, YM2301/2301D, YM2310/2310D, YM240/240D, YM2402/2402D, YM2420/2420D, YM250/250D, YM2500/2500D, YM2610/2610D, YM2620/2620D, YM2700/2700D, YM276/276D, YM2820/2820D, YM3000/3000D, YM3110/3110D, YM3220/3220D, YM330/330D, YM336/336D, YM3810/3810D Vertical round body Replace your entire muffler assy with this unit. It fits all Yanmar & Iseki tractors except tractors with mufflers that come out through a hole in the top of the hood as on some F & FX series and the YM2700 and YM147 and the 2200.	Weight: 6 lbs. Horizontal Length: 33 1/2" Outlet O.D.: 1 3/4" Outlet Length: 14 1/2" Shell Length: 12" Inlet I.D.: n/a Inlet Length: 6 1/2" Shell Diameter: 4 1/4"



Base Plate Detail

HEAVY DUTY TRUCK MUFFLERS

Chevrolet Trucks 1/2 - 2 Ton

PART NO.	Year Model	Model # of size rating	Engine data c.i.d. (cu. in) Type (Gas/Dsl 6 cyl or V-8)	SPECS.
MUF 1006	69-73	40, 50 & 60	350-V8 (Gas)	Weight: 14 lbs. Horizontal Length: 36 1/4" Outlet O.D.: 2 1/4" Outlet Length: 2 1/4" Shell Length: 31" Inlet I.D.: 2 3/4" Inlet Length: 3 1/2" Shell Diameter: 7"
Inlet Clamp: MC234 Outlet Clamp: MC214				Series 1 to 2 ton Horizontal round body
MUF 1016	72-74 72-74	50, 60 & 65 50, 60 & 65	366-V8 (Gas) 427-V8 (Gas)	Weight: 12 lbs. Horizontal Length: 35" Outlet O.D.: 2 1/2" Outlet Length: 3 1/2" Shell Length: 29" Inlet I.D.: 2 1/2" Inlet Length: 3" Shell Diameter: 6"
Inlet Clamp: MC212 Outlet Clamp: MC212				1 1/2 to 2 1/2 ton Horizontal round body
MUF 1028	73-74 73-74 73-74	C10 & C20 Blazer (full size) Blazer (full size)	350-V8 (Gas) 307-V8 (Gas) 350-V8 (Gas)	Weight: 14 lbs. Horizontal Length: 25 5/8" Outlet O.D.: 2" Outlet Length: 4" Shell Length: 19" Inlet I.D.: 2 1/2" Inlet Length: 3 3/4" Shell Diameter: 5" x 9"
Inlet Clamp: MC212 Outlet Clamp: MC200				Horizontal oval body
MUF 1033	75-78 75-78 76-78	C15 & C25 C15 & C25 C35	305-V8 (Gas) 350-V8 (Gas) 350-V8 (Gas)	Weight: 14 lbs. Horizontal Length: 25 5/8" Outlet O.D.: 2 1/4" Outlet Length: 4" Shell Length: 19" Inlet I.D.: 2 1/2" Inlet Length: 4" Shell Diameter: 5" x 9"
Inlet Clamp: MC212 Outlet Clamp: MC214				(w or w/o converter) Horizontal oval body



MUF 1006



MUF 1016



MUF 1028



MUF 1033

Ford Trucks 1/2 - 2 Ton

PART NO.	Year Model	Model # of size rating	Engine data c.i.d. (cu. in) Type (Gas/Dsl 6 cyl or V-8)	SPECS.
MUF 1015	61-74	B500 & B600 E100-E300 (Econoline-170- 6cyl) F100-F600 N500 & N600 Bronco (W/289- V8)	240/300 - 6 cyl. 289 or 302 V8 (Gas) Use alternate muffler 1016 - below	Weight: 10 lbs. Horizontal Length: 33 1/8" Outlet O.D.: 2" Outlet Length: 2 1/2" Shell Length: 27" Inlet I.D.: 2" Inlet Length: 2 1/2" Shell Diameter: 6"
Inlet Clamp: MC200 Outlet Clamp: MC200				Horizontal round body
MUF 1016	56-74	B500 thru B750 C500 thru C800 F500 thru F900 N500 thru N750 L, LN, LNT, LT, LTS 600-800	240/300 6 cyl. 302, 30, 361 & 390 V-8.	Weight: 12 lbs. Horizontal Length: 35" Outlet O.D.: 2 1/2" Outlet Length: 3 1/2" Shell Length: 29" Inlet I.D.: 2 1/2" Inlet Length: 2 3/4" Shell Diameter: 6"
Inlet Clamp: MC212 Outlet Clamp: MC212				Use alternate muffler 1015 for 240/300 6 cyl. 289 & 302 V8 Horizontal round body
MUF 1017	67-74 67-74	F100 (1/2 ton) F250 (3/4 ton) (2 & 4 Wheel Drive) F350 (1 ton) - 2 wheel drive	360-V8 & 390- V8 (Gas)	Weight: 11 lbs. Horizontal Length: 33" Outlet O.D.: 2" Outlet Length: 3" Shell Length: 27" Inlet I.D.: 2 1/2" Inlet Length: 3" Shell Diameter: 6"
Inlet Clamp: MC212 Outlet Clamp: MC200				Horizontal round body



MUF 1015



MUF 1016



MUF 1017

HEAVY DUTY TRUCK MUFFLERS

GMC Trucks 1/2 - 2 Ton

PART NO.	Year Model	Model # of size rating	Engine data c.i.d. (cu. in) Type (Gas/Dsl 6 cyl or V-8)	SPECS.
MUF 1006	1972	CM5500 & 6500	351- 6 cyl	Weight: 14 lbs. Horizontal Length: 36 1/4" Outlet O.D.: 2 1/4" Outlet Length: 3 1/2" Shell Length: 31" Inlet I.D.: 2 3/4" Inlet Length: 3 1/2" Shell Diameter: 7"
	1973	50 & 60 Series	350-V8	
	Horizontal round body			
MUF 1016	1972	CM5500 & 6500	250 & 292 -6cyl	Weight: 12 lbs. Horizontal Length: 35" Outlet O.D.: 2 1/2" Outlet Length: 3 1/2" Shell Length: 29" Inlet I.D.: 2 1/2" Inlet Length: 3 3/4" Shell Diameter: 6"
	72-74	CM5500 & 6500	366-V8 (gas)	
	73-74	CM5500 & 6500	427-V8 (Gas)	
	Horizontal round body			
MUF 1026	72-73	CS4500 & 5500	250 & 292 -6cyl	Weight: 13 lbs. Horizontal Length: 35" Outlet O.D.: 2 1/2" Outlet Length: 4" Shell Length: 28" Inlet I.D.: 2 1/2" Inlet Length: 4" Shell Diameter: 6 1/2"
	72-73	50 & 60 Series	250 & 292 -6cyl	
	73-74	6000 Series	366-V8	
	Horizontal round body			
MUF 1028	73-74	K1500 & 2500	307-V8 (Gas)	Weight: 14 lbs. Horizontal Length: 25 5/8" Outlet O.D.: 2" Outlet Length: 4" Shell Length: 19" Inlet I.D.: 2 1/2" Inlet Length: 3 3/4" Shell Diameter: 5" x 9"
	73-74	K1500 & 2500	350-V8 (Gas)	
	73-74	C1500, 2500, 3500	350-V8(Gas)	
	Horizontal oval body			


MUF 1006

MUF 1016

MUF 1026

MUF 1028

International Trucks 1/2 - 2 Ton

PART NO.	Year Model	Model # of size rating	Engine data c.i.d. (cu. in) Type (Gas/Dsl 6 cyl or V-8)	SPECS.
MUF 1006	63-70	1600, 1700 & 1800 series BD282 & BD308 6 cyl (Gas)		Weight: 14 lbs. Horizontal Length: 36 1/4" Outlet O.D.: 2 1/4" Outlet Length: 3 1/2" Shell Length: 31" Inlet I.D.: 2 3/4" Inlet Length: 3 1/2" Shell Diameter: 7"
	66-69	1600, 1700 & 1800 Series (304-V8 gas engines)		
	70-73	1600, 1700 & 1800 - 4WD (266 & 345-V8 Gas)		
	Horizontal round body			
MUF 1024	63-70	1600 & 1700 series 6 cyl. (Gas)		Weight: 13 lbs. Horizontal Length: 27 3/4" Outlet O.D.: 2 1/4" Outlet Length: 2 1/2" Shell Length: 24 1/2" Inlet I.D.: 2 1/2" Inlet Length: 2 1/2" Shell Diameter: 6 1/2"
	63-70	1600, 1700, 1800 Series & 1890 Loadstar D301 (Diesel) & D354 (Diesel)		
	68-69	1600 Series 266-V8 (Gas)		
	Horizontal round body			


MUF 1006

MUF 1024

MUFFLER ACCESSORIES

Universal Truck Muffler

UNIVERSAL APPLICATION	
PART NO.	SPECS.
MUF 1029	Weight: 14 lbs. Horizontal Length: 21 5/8" Outlet O.D.: 1 7/8" Outlet Length: 3" Shell Length: 18" Inlet I.D.: 2 1/2" Inlet Length: 3" Shell Diameter: n/a
Inlet Clamp: MC212 Outlet Clamp: MC200	



Clamp Kits

PART NO.	REPLACES OEM #	TRACTOR APPLICATION	WEIGHT
MUF JD300	R32235 AR46323	To fit John Deere Tractors 3020, 4010, 4020, 4000, 4030 & 4230 with flared inlet muffler.	1 lb.
MUF JD400	AR35666R AR64704	8430, 8630, 8440, 8640, 4520, 4620, 7020, 5010, 5020, 4520, 4620 & 7020 w/ flared inlet muffler	1 lb.
MUF JD300A	RE20221	4240, 4050	1 lb.
MUF JD400A	RE20223	4840, 4650, 4850, 4555, 4755, 4955, 4320, 4430, 4630, 4440, 4650, 4050 s/n 5511 & up, 4250, 4450, 4055, 4255 & 4455.	1 lb.
MUF FO300	CAPN 5200A	To fit Ford tractors 9N, 2N, & 8N with flared inlet pipe.	1 lb.
MUF MF300	181461M1	To fit Massey Ferguson tractors TO-20 & TO-30 with flared inlet pipe.	1 lb.



PART NO.	I.D.	WEIGHT
MUF MC112	1 1/2"	1 lb.
MUF MC158	1 5/8"	1 lb.
MUF MC134	1 3/4"	1 lb.
MUF MC178	1 7/8"	1 lb.
MUF MC200	2"	1 lb.
MUF MC214	2 1/4"	1 lb.
MUF MC212	2 1/2"	1 lb.
MUF MC258	2 5/8"	1 lb.
MUF MC234	2 3/4"	1 lb.
MUF MC300	3"	1 lb.
MUF MC314	3 1/4"	1 lb.
MUF MC312	3 1/2"	1 lb.
MUF MC400	4"	1 lb.
MUF MC412	4 1/2"	1 lb.
MUF MC500	5"	2 lb.



MUF JD300



MUF JD400



MUF JD300A



MUF JD400A



MUF FO300



MUF MF300

MUFFLER ACCESSORIES

Exhaust Extenders

- 18" Exhaust deflectors
- With clamp
- Deflects fumes
- Undercut for rain



Rain Caps



PART NO.	I.D.	OVERAL LENGTH	INLET CLAMP	WEIGHT
MUF EE1	1 1/2"	18"	MC112	2 lb.
MUF EE2	1 3/4"	18"	MC134	2 lb
MUF EE3	2"	18"	MC200	3 lb
MUF EE4	2 1/4"	18"	MC214	3 lb.
MUF EE5	2 1/2"	18"	MC212	4 lb.
MUF EE6	2 3/4"	18"	MC234	4 lb.
MUF EE7	3"	18"	MC300	4 lb.
MUF EE8	2 5/8"	18"	MC258	3 lb.
MUF EE9	3 1/2"	20"	MC312	5 lb.
MUF EE10	3 3/4"	20"	MC334	5 lb.
MUF EE11	4"	20 1/2"	MC400	6 lb.
MUF EE12	4 1/8"	20 1/2"	MC412	6 lb.
MUF EE13	4 1/2"	20 1/2"	MC412	6 lb.
MUF EE14	5"	21 1/2"	MC500	7 lb.

PART NO.	I.D.	WEIGHT
MUF RC0	1 1/2"	1 lb.
MUF RC1	1 3/4"	1 lb.
MUF RC2	2"	1 lb.
MUF RC3	2 1/2"	1 lb.
MUF RC4	3"	1 lb.
MUF RC5	2 1/4"	1 lb.
MUF RC7	2 3/4"	1 lb.
MUF RC8	3 1/2"	2 lb.
MUF RC9	4"	2 lb.
MUF RC10	4 1/2"	2 lb.
MUF RC11	5"	2 lb.

Straight Pipes

- 48" long pipe.


PART NO.	I.D.	INLET CLAMP	RAIN CAP	WEIGHT
MUF S112	1 1/2"	MC112	RC0	4 lbs.
MUF S134	1 3/4"	MC134	RC1	5 lbs.
MUF S200	2"	MC200	RC2	6 lbs.
MUF S214	2 1/4"	MC214	RC5	6 lbs.
MUF S238	2 3/8"	MC212	RC3	6 lbs.
MUF S212	2 1/2"	MC212	RC3	8 lbs.
MUF S258	2 5/8"	MC258	RC3	8 lbs.
MUF S234	2 3/4"	MC234	RC7	7 lbs.
MUF S300	3"	MC300	RC4	6 lbs.
MUF S312	3 1/2"	MC312	RC8	6 lbs.
MUF S334	3 3/4"	MC400	RC9	10 lbs.
MUF S400	4"	MC400	RC9	13 lbs.
MUF S412	4 1/2"	MC412	RC9	13 lbs.
MUF S500	5"	MC500	RC11	15 lbs.



MUFFLER ACCESSORIES

Easy Seal Exhaust Connection

The simple, effective way to connect exhaust system components. Patented design makes for fast, easy and accurate installation - there's no need to separate pipes or exhaust members before clamping.



- Available in standard industry sizes from 2" through 6" and metric equivalents.
- Exclusively developed fastening system, includes force bars, bolts, nuts and patented reaction block, creates the power to stretch the clamp band tightly around exhaust members.
- The reaction block provides a full 360° equal distribution of stretching forces, prohibiting pipe distortion while completing a seal around the joined exhaust components.



Finished EasySeal installations out-perform other band clamps in clamping strength and seal.



The Reaction Block transfers strength and an assured seal.



Longer bolts and preattached hardware make wraparound installation easy and accurate.

Easy Seal - Individual "Skin-Pack" Clamps

PART NO.	DESCRIPTION
MUF E20ST	2.0" Diameter
MUF E22ST	2.25" Diameter
MUF E25ST	2.5" Diameter
MUF E27ST	2.75" Diameter
MUF E30ST	3.0" Diameter

PART NO.	DESCRIPTION
MUF E35ST	3.5" Diameter
MUF E40ST	4.0" Diameter
MUF E45ST	4.5" Diameter
MUF E50ST	5.0" Diameter
MUF E60ST	6.0" Diameter